

Annals of Vascular Surgery 1990

A

Abdominal aorta

Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377

Supraceliac clamping: An underused alternative in aortic surgery. Joyce and Ward. (United Kingdom) 1990; 4:393-396

Abdominal aortic aneurysm

A chronic contained rupture of an abdominal aortic aneurysm complicated with severe back pain. Nakagawa et al. (Japan) 1990; 4:189-192

The calcium messenger system and the kinetics of elastase release from human neutrophils in patients with abdominal aortic aneurysms. Cohen et al. (USA) 1990; 4:570-574

Aortocaval fistula and contained rupture of an abdominal aortic aneurysm presenting with pelvic venous congestion. Saxon et al. (USA) 1990; 4:381-383

Clinical experience with a collagen-impregnated knitted Dacron vascular graft. Freischlag and Moore. (USA) 1990; 4:449-454

Combined mortality and morbidity of direct surgical treatment of abdominal aortic aneurysm. Branchereau et al. (France) 1990; 4:10-14

Iliocaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. Combe et al. (France) 1990; 4:20-25

Late results of preferential use of tube versus bifurcation grafts for abdominal aortic aneurysmectomy. Friedman et al. (USA) 1990; 4:39-41

Long-term survival in patients undergoing resection of abdominal aortic aneurysm. Vohra et al. (Scotland) 1990; 4:460-465

Renal failure after operation for abdominal aortic aneurysm. Olsen et al. (Denmark) 1990; 4:580-583

Selective use of arteriography in the assessment of aortic aneurysm repair. Campbell et al. (USA) 1990; 4:419-423

Traumatic dissection in an inflammatory aneurysm. Stella et al. (Italy) 1990; 4:384-387

Amaurosis fugax

The natural history of amaurosis fugax with minor degrees of internal carotid artery stenosis. Torem et al. (USA) 1990; 4:46-51

Amputation

Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290

Impact of the presence of orthopedic hardware on technical performance of major amputations. Kaufman et al. (USA) 1990; 4:356-358, 1990; 4:356-358

Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. Aligne et al. (France) 1990; 4:143-146

Anastomosis, aortoprosthetic

End-to-side aortoprosthetic anastomoses: Long-term computed tomography assessment. Mikati et al. (France) 1990; 4:584-591

Aneurysm. *see also* Abdominal aortic aneurysm

Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. Kaufman et al. (USA) 1990; 4:592-596

Basic data related to peripheral artery aneurysms. McCann. (USA) 1990; 4:411-414

Clinical experience with a collagen-impregnated knitted Dacron vascular graft. Freischlag and Moore. (USA) 1990; 4:449-454

Isolated iliac artery aneurysms. Weimann et al. (Austria) 1990; 4:297-301

Multiple aneurysms in a seven-year-old child. Bordeaux et al. (France) 1990; 4:26-28

Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: Report of two cases and review of the literature. Quandalle et al. (France) 1990; 4:540-545

Rupture of a superior mesenteric artery aneurysm in a child. Detroux et al. (Belgium) 1990; 4:506-509

Spontaneous aneurysm of the extracranial vertebral artery associated with spinal osseous anomaly. Habozit and Battistelli. (France) 1990; 4:600-603

Traumatic dissection in an inflammatory aneurysm. Stella et al. (Italy) 1990; 4:384-387

Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19

Angina, intestinal

Recent trends in the diagnosis and management of chronic intestinal ischemia. Hallett et al. (USA) 1990; 4:126-132

Angiography, occlusive. *see also* arteriography

Endovascular occlusive intervention in the management of trauma. Klein et al. (USA) 1990; 4:424-430

Angioplasty

The suitability of expanded PTFE for carotid patch angioplasty. LeGrand and Linehan. (USA) 1990; 4:209-212

Closure of the internal carotid artery after endarterectomy: The advantages of patch angioplasty without its disadvantages. Vanmaele et al. (Belgium) 1990; 4:81-84

Proximal percutaneous balloon angioplasty and distal bypass for multilevel arterial occlusion. Wilson et al. (USA) 1990; 4:351-355

- Results of percutaneous transluminal angioplasty for peripheral vascular occlusive disease. Wilson and Sheppard. (USA) 1990; 4:94-97
- Successful percutaneous angioplasty after failed femorodistal bypass. Harris et al. (USA) 1990; 4:431-436
- Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. Clément et al. (France) 1990; 4:519-527
- Antibiotic therapy**
- Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. Goëau-Brissonnière et al. (France) 1990; 4:528-532
- Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. Kaufman et al. (USA) 1990; 4:592-596
- Aortic dissection**
- Doppler ultrasound in aortic dissections: A study of cephalic and peripheral arteries. Dany et al. (France) 1990; 4:442-448
- Traumatic dissection in an inflammatory aneurysm. Stella et al. (Italy) 1990; 4:384-387
- Aortic implantation**
- Aortic reimplantation of the superior mesenteric artery for atherosclerotic lesions of the visceral arteries: Sixty cases. Kieny et al. (France) 1990; 4:122-125
- Implantation of the distal aorta: A technique for preservation of pelvic blood flow in aortofemoral reconstruction. Goldstein et al. (USA) 1990; 4:213-217
- Aortic isthmus**
- Calcified obstructive disease of the aortic isthmus. Coffin et al. (France) 1990; 4:147-150
- Aortobifemoral bypass**
- End-to-side aortoprosthetic anastomoses: Long-term computed tomography assessment. Mikati et al. (France) 1990; 4:584-591
- False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392
- Aortoiliac disease**
- The effect of femoral arteriography on the incidence of groin contamination and postoperative infections. Ameli et al. (Canada) 1990; 4:328-332
- False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392
- Traumatic dissection in an inflammatory aneurysm. Stella et al. (Italy) 1990; 4:384-387
- Aplasia**
- Bilateral congenital aplasia of the deep femoral arteries. Schmidt et al. (W. Germany) 1990; 4:498-501
- Arteriography**
- The effect of femoral arteriography on the incidence of groin contamination and postoperative infections. Ameli et al. (Canada) 1990; 4:328-332
- Anatomic and clinical factors associated with complications of transfemoral arteriography. Lilly et al. (USA) 1990; 4:264-269
- Can duplex scanning replace arteriography for lower extremity arterial disease? Kohler et al. (USA) 1990; 4:280-287
- Carbon dioxide digital subtraction arteriography: A pilot study. Weaver et al. (USA) 1990; 4:437-441
- Intraoperative transcutaneous oxygen tension criteria for completion arteriography. Alexander et al. (USA) 1990; 4:333-337
- Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. Gagliardi et al. (France) 1990; 4:546-549
- Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. Laurian et al. (France) 1990; 4:1-9
- Safe extracranial vascular evaluation and surgery without preoperative arteriography. Hill et al. (USA) 1990; 4:34-38
- Selective use of arteriography in the assessment of aortic aneurysm repair. Campbell et al. (USA) 1990; 4:419-423
- Superior mesenteric artery embolism: Eighty-two cases. Batellier and Kieny. (France) 1990; 4:112-116
- Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. Clément et al. (France) 1990; 4:519-527
- Arteriography predictability index**
- Selective use of arteriography in the assessment of aortic aneurysm repair. Campbell et al. (USA) 1990; 4:419-423
- Arteriportal fistula**
- Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539
- Arteriovenous fistula**
- Traumatic superior mesenteric artery—portal vein fistula. Deitrick et al. (USA) 1990; 4:72-76
- Arteritis**
- Mesenteric infarction in Takayasu's disease. Nussaume et al. (France) 1990; 4:117-121
- Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. Long et al. (France) 1990; 4:151-155
- Aspergillus fumigatus**
- False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392
- Asymptomatic patient**
- The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. Treiman et al. (USA) 1990; 4:29-33
- Safety and long-term benefit of carotid endarterectomy in the asymptomatic patient. Park et al. (USA) 1990; 4:218-222
- Apherectomy**
- Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. Desbrosses et al. (France) 1990; 4:550-552
- Atheroembolism**
- The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263
- Atherogenesis**
- The effects of heparin upon atherogenesis in the Watanabe heritable hyperlipidemic rabbit. Workman et al. (USA) 1990; 4:344-350
- Atherosclerosis**
- The effects of laser energy on the arterial wall. Faught and Lawrence. (USA) 1990; 4:198-207

- Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470
- Aortic reimplantation of the superior mesenteric artery for atherosclerotic lesions of the visceral arteries: Sixty cases. Kieny et al. (France) 1990; 4:122-125
- Calcified obstructive disease of the aortic isthmus. Coffin et al. (France) 1990; 4:147-150
- Histologic and morphologic effects of rotary atherectomy on human cadaver arteries. Ahn et al. (USA) 1990; 4:563-569
- Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. Gagliardi et al. (France) 1990; 4:546-549
- Routine exercise testing to detect coronary artery disease in patients with atherosclerotic vascular disease. Van der Watt et al. (S. Africa) 1990; 4:479-484
- Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237
- Athletic injury**
- Traumatic pseudoaneurysm in a wrestler. Annenberg et al. (USA) 1990; 4:69-71
- Autogenous tissue**
- Autogenous tissue reconstruction in the management of aortoiliofemoral graft infection. Quiñones-Baldrich et al. (USA) 1990; 4:223-228
- Axillobifemoral bypass**
- The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263
- B**
- B-mode ultrasonography**
- Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470
- Basal cerebral arteries**
- Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. Reith et al. (W. Germany) 1990; 4:359-364
- Bifurcation graft.** *see* Graft
- Bile duct tumor**
- Pancreaticoduodenectomy and the celiac artery compression syndrome. Kohler et al. (USA) 1990; 4:77-80
- Biopsy**
- Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. Long et al. (France) 1990; 4:151-155
- Blood/material interface**
- Interactions at the blood/material interface. Greisler. (USA) 1990; 4:98-103
- Blunt vascular injury**
- Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377
- Traumatic pseudoaneurysm in a wrestler. Annenberg et al. (USA) 1990; 4:69-71
- Book reviews**
- Basic Science in Vascular Surgery. Giordano. (USA) 1990; 4:104
- Bypass.** *see also* Femoropopliteal bypass; Graft; Prosthesis
- The evolution of a clinically relevant experimental model for the realistic evaluation of long-length. (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64
- The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263
- Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275
- False aneurysm infected by *Aspergillus Fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392
- Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly humans. Durante et al. (USA) 1990; 4:171-178
- Intraoperative transcutaneous oxygen tension criteria for completion arteriography. Alexander et al. (USA) 1990; 4:333-337
- Proximal percutaneous balloon angioplasty and distal bypass for multilevel arterial occlusion. Wilson et al. (USA) 1990; 4:351-355
- Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237
- C**
- Calcium channel blockers**
- The calcium messenger system and the kinetics of elastase release from human neutrophils in patients with abdominal aortic aneurysms. Cohen et al. (USA) 1990; 4:570-574
- Carbon dioxide arteriography**
- Carbon dioxide digital subtraction arteriography: A pilot study. Weaver et al. (USA) 1990; 4:437-441
- Carbon dioxide measurement**
- Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. Reith et al. (W. Germany) 1990; 4:359-364
- Cardiac catheterization**
- Anatomic and clinical factors associated with complications of transfemoral arteriography. Lilly et al. (USA) 1990; 4:264-269
- Cardiac testing**
- Basic data related to cardiac testing and cardiac risk associated with vascular surgery. Yeager. (USA) 1990; 4:193-197
- Carotid artery lesions**
- The silent brain infarct before and after carotid surgery. Habozit. (France) 1990; 4:485-489
- Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470
- Carotid artery stenosis**
- The influence of contralateral disease on the natural history of nonoperated significant carotid stenosis. Satiani and Porter. (USA) 1990; 4:313-317

- The natural history of amaurosis fugax with minor degrees of internal carotid artery stenosis. Torem et al. (USA) 1990; 4:46-51
- Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. Vermassen et al. (Belgium) 1990; 4:323-327
- Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. Reith et al. (W. Germany) 1990; 4:359-364
- Carotid endarterectomy**
- The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. Treiman et al. (USA) 1990; 4:29-33
- The suitability of expanded PTFE for carotid patch angioplasty. LeGrand and Linehan. (USA) 1990; 4:209-212
- Carotid artery endarterectomy in patients over seventy years-of-age. Schröe et al. (Belgium) 1990; 4:133-137
- Closure of the internal carotid artery after endarterectomy: The advantages of patch angioplasty without its disadvantages. Vanmaele et al. (Belgium) 1990; 4:81-84
- Intraoperative electroencephalographic monitoring during carotid surgery with routine shunting. Scheyvaerts and Limet. (Belgium) 1990; 4:318-322
- Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. Vermassen et al. (Belgium) 1990; 4:323-327
- Safe extracranial vascular evaluation and surgery without preoperative arteriography. Hill et al. (USA) 1990; 4:34-38
- Safety and long-term benefit of carotid endarterectomy in the asymptomatic patient. Park et al. (USA) 1990; 4:218-222
- Vocal cord paralysis following carotid endarterectomy: The paradox of return of function. Sannella et al. (USA) 1990; 4:42-45
- Carotid thrombus**
- Free-floating thrombus of the extracranial internal carotid artery. Combe et al. (France) 1990; 4:558-562
- Carotid-femoral bypass**
- The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64
- Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly humans. Durante et al. (USA) 1990; 4:171-178
- Ceftriaxone**
- Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. Goëau-Brissonnière et al. (France) 1990; 4:528-532
- Celiac axis stenosis**
- Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: Report of two cases and review of the literature. Quandalle et al. (France) 1990; 4:540-545
- Celiac compression syndrome**
- Pancreaticoduodenectomy and the celiac artery compression syndrome. Köhler et al. (USA) 1990; 4:77-80
- Cephalic artery**
- Doppler ultrasound in aortic dissections: A study of cephalic and peripheral arteries. Dany et al. (France) 1990; 4:442-448
- Cerebral ischemia**
- The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. Treiman et al. (USA) 1990; 4:29-33
- The silent brain infarct before and after carotid surgery. Habozit. (France) 1990; 4:485-489
- Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470
- Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. Gagliardi et al. (France) 1990; 4:546-549
- Cerebrovascular accident**
- Free-floating thrombus of the extracranial internal carotid artery. Combe et al. (France) 1990; 4:558-562
- Cerebrovascular disease**
- Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. Vermassen et al. (Belgium) 1990; 4:323-327
- Chemotherapy**
- Malignant fibrous histiocytoma arising from descending thoracic aorta. Busby et al. (USA) 1990; 4:185-188
- Cholangiocarcinoma**
- Pancreaticoduodenectomy and the celiac artery compression syndrome. Köhler et al. (USA) 1990; 4:77-80
- Claudication**
- A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304
- Popliteal artery leiomyosarcoma: A case report and review of the literature. Briggs et al. (England) 1990; 4:365-369
- Clinical decision-making**
- Basic data related to cardiac testing and cardiac risk associated with vascular surgery. Yeager. (USA) 1990; 4:193-197
- Basic data related to infrainguinal revascularization procedures. Dalman and Taylor. (USA) 1990; 4:309-312
- Basic data related to laser angioplasty. Seeger. (USA) 1990; 4:515-518
- Basic data related to lipid abnormalities in peripheral vascular disease. Rapp. (USA) 1990; 4:604-608
- Basic data related to peripheral artery aneurysms. McCann. (USA) 1990; 4:411-414
- Can duplex scanning replace arteriography for lower extremity arterial disease? Köhler et al. (USA) 1990; 4:280-287
- Results of percutaneous transluminal angioplasty for peripheral vascular occlusive disease. Wilson and Sheppard. (USA) 1990; 4:94-97
- Computed tomography**
- A chronic contained rupture of an abdominal aortic aneurysm complicated with severe back pain. Nakagawa et al. (Japan) 1990; 4:189-192
- The silent brain infarct before and after carotid surgery. Habozit. (France) 1990; 4:485-489
- End-to-side aortoprosthetic anastomoses: Long-term computed tomography assessment. Mikati et al. (France) 1990; 4:584-591
- Congenital anomalies**
- Bilateral congenital aplasia of the deep femoral arteries. Schmidt et al. (W. Germany) 1990; 4:498-501

- Congenital anomalies of the external iliac artery: Case report and review of the literature. Tamisier et al. (France) 1990; 4:510-514
- Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. Laurian et al. (France) 1990; 4:1-9
- Spontaneous aneurysm of the extracranial vertebral artery associated with spinal osseous anomaly. Habozit and Battistelli. (France) 1990; 4:600-603
- Connective tissue disease**
- Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19
- Coronary artery disease**
- Preoperative evaluation of cardiac risk using dobutamine-thallium imaging in vascular surgery. Zellner et al. (USA) 1990; 4:238-243
- Routine exercise testing to detect coronary artery disease in patients with atherosclerotic vascular disease. Van der Watt et al. (S. Africa) 1990; 4:479-484
- Cranial nerve injury**
- Vocal cord paralysis following carotid endarterectomy: The paradox of return of function. Sannella et al. (USA) 1990; 4:42-45
- D**
- Dacron graft**
- The albumin-coated knitted Dacron aortic prosthesis: A clinical study. Branchereau et al. (France) 1990; 4:138-142
- Clinical experience with a collagen-impregnated knitted Dacron vascular graft. Freischlag and Moore. (USA) 1990; 4:449-454
- The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64
- Experimental evaluation of polymerized Dacron grafts in the iliac position of pigs. Norgren et al. (Sweden) 1990; 4:575-579
- Deep venous thrombosis**
- Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459
- St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599
- Descending thoracic aorta**
- Malignant fibrous histiocytoma arising from descending thoracic aorta. Busby et al. (USA) 1990; 4:185-188
- Diabetes mellitus**
- Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254
- Diagnostic techniques**
- An easy method for diagnosis of lymphedema. Richards et al. (USA) 1990; 4:255-259
- Recent trends in the diagnosis and management of chronic intestinal ischemia. Hallett et al. (USA) 1990; 4:126-132
- Routine exercise testing to detect coronary artery disease in patients with atherosclerotic vascular disease. Van der Watt et al. (S. Africa) 1990; 4:479-484
- Safe extracranial vascular evaluation and surgery without preoperative arteriography. Hill et al. (USA) 1990; 4:34-38
- Dialysis**
- Renal failure after operation for abdominal aortic aneurysm. Olsen et al. (Denmark) 1990; 4:580-583
- Diaphragm**
- Extrinsic compression of the renal artery by diaphragmatic crus. Clément et al. (France) 1990; 4:305-308
- Digital artery embolism**
- Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184
- Digital subtraction arteriography**
- Carbon dioxide digital subtraction arteriography: A pilot study. Weaver et al. (USA) 1990; 4:437-441
- Disseminated atheroembolism syndrome**
- The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263
- Disseminated intravascular coagulation**
- The surgical implications of purpura fulminans. Cohen et al. (USA) 1990; 4:276-279
- Dobutamine-thallium imaging**
- Preoperative evaluation of cardiac risk using dobutamine-thallium imaging in vascular surgery. Zellner et al. (USA) 1990; 4:238-243
- Doppler imaging. see also Ultrasound**
- Doppler ultrasound in aortic dissections: A study of cephalic and peripheral arteries. Dany et al. (France) 1990; 4:442-448
- Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275
- Pancreaticoduodenectomy and the celiac artery compression syndrome. Kohler et al. (USA) 1990; 4:77-80
- Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. Reith et al. (W. Germany) 1990; 4:359-364
- Duodenal tumor**
- A paraprostatic-enteric fistula associated with a duodenal tumor. Dachs et al. (USA) 1990; 4:65-68
- Duplex scanning**
- Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470
- Can duplex scanning replace arteriography for lower extremity arterial disease? Kohler et al. (USA) 1990; 4:280-287
- Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459
- Pancreaticoduodenectomy and the celiac artery compression syndrome. Kohler et al. (USA) 1990; 4:77-80
- Recent trends in the diagnosis and management of chronic intestinal ischemia. Hallett et al. (USA) 1990; 4:126-132
- Safe extracranial vascular evaluation and surgery without preoperative arteriography. Hill et al. (USA) 1990; 4:34-38

E**Ehlers-Danlos syndrome**

Multiple aneurysms in a seven-year-old child. Bordeaux et al. (France) 1990; 4:26-28

Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19

Elastase

The calcium messenger system and the kinetics of elastase release from human neutrophils in patients with abdominal aortic aneurysms. Cohen et al. (USA) 1990; 4:570-574

Elderly patients

Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290

Carotid artery endarterectomy in patients over seventy years-of-age. Schröe et al. (Belgium) 1990; 4:133-137

Electroencephalographic monitoring

Intraoperative electroencephalographic monitoring during carotid surgery with routine shunting. Scheyvaerts and Limet. (Belgium) 1990; 4:318-322

Embolism

Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184

Embolization, therapeutic

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

Endovascular occlusive intervention in the management of trauma. Klein et al. (USA) 1990; 4:424-430

Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. Laurian et al. (France) 1990; 4:1-9

Traumatic superior mesenteric artery—portal vein fistula. Deitrick et al. (USA) 1990; 4:72-76

Endothelial seeding

Polyurethane arterial prosthesis: Experimental evaluation. Martin-Mondiere et al. (France) 1990; 4:52-57

Endovascular occlusion. see Embolization, therapeutic**Ergotism**

St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

Exercise testing

Routine exercise testing to detect coronary artery disease in patients with atherosclerotic vascular disease. Van der Watt et al. (S. Africa) 1990; 4:479-484

Experimental studies

The effects of heparin upon atherogenesis in the Watanabe heritable hyperlipidemic rabbit. Workman et al. (USA) 1990; 4:344-350

The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64

Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. Goëau-Brissonnière et al. (France) 1990; 4:528-532

Experimental evaluation of polymerized Dacron grafts in the iliac position of pigs. Norgren et al. (Sweden) 1990; 4:575-579

Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly humans. Durante et al. (USA) 1990; 4:171-178

Polyurethane arterial prosthesis: Experimental evaluation. Martin-Mondiere et al. (France) 1990; 4:52-57

Extraanatomic bypass

Autogenous tissue reconstruction in the management of aortoiliac femoral graft infection. Quiñones-Baldrich et al. (USA) 1990; 4:223-228

Extrinsic compression

Extrinsic compression of the renal artery by diaphragmatic crus. Clément et al. (France) 1990; 4:305-308

F**Femoral artery**

Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. Kaufman et al. (USA) 1990; 4:592-596

Autogenous tissue reconstruction in the management of aortoiliac femoral graft infection. Quiñones-Baldrich et al. (USA) 1990; 4:223-228

Bilateral congenital aplasia of the deep femoral arteries. Schmidt et al. (W. Germany) 1990; 4:498-501

Femoral vein

The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. Woodson et al. (USA) 1990; 4:494-497

Femoropopliteal bypass

Basic data related to infrainguinal revascularization procedures. Dalman and Taylor. (USA) 1990; 4:309-312

Preferential use of ePTFE for above-knee femoropopliteal bypass grafts. Patterson et al. (USA) 1990; 4:338-343

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Successful percutaneous angioplasty after failed femorodistal bypass. Harris et al. (USA) 1990; 4:431-436

Femoropopliteal occlusion

Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. Desbrosses et al. (France) 1990; 4:550-552

Femorotibial bypass

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Fibromuscular dysplasia

Rupture of a superior mesenteric artery aneurysm in a child. Detroux et al. (Belgium) 1990; 4:506-509

Fibronectin

Polyurethane arterial prosthesis: Experimental evaluation. Martin-Mondiere et al. (France) 1990; 4:52-57

Fistula

A paraprostatic-enteric fistula associated with a duodenal tumor. Dachs et al. (USA) 1990; 4:65-68

Aortocaval fistula and contained rupture of an abdominal aortic aneurysm presenting with pelvic venous congestion. Saxon et al. (USA) 1990; 4:381-383

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. Laurian et al. (France) 1990; 4:1-9

Traumatic juxtarenal aortocaval fistula and pseudoaneurysm. Krishnasastri et al. (USA) 1990; 4:378-380

Forefoot necrosis

The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263

Free tissue transfer

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

G

Gangrene

St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Graft. *see also* Bypass; Dacron graft; Prosthesis; PTFE graft

The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. Woodson et al. (USA) 1990; 4:494-497

Combined mortality and morbidity of direct surgical treatment of abdominal aortic aneurysm. Branchereau et al. (France) 1990; 4:10-14

False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392

Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly humans. Durante et al. (USA) 1990; 4:171-178

Implantation of the distal aorta: A technique for preservation of pelvic blood flow in aortofemoral reconstruction. Goldstein et al. (USA) 1990; 4:213-217

Interactions at the blood/material interface. Greisler. (USA) 1990; 4:98-103

Late results of preferential use of tube versus bifurcation grafts for abdominal aortic aneurysmectomy. Friedman et al. (USA) 1990; 4:39-41

Successful percutaneous angioplasty after failed femorodistal bypass. Harris et al. (USA) 1990; 4:431-436

Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184

Graft infection

Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. Goëau-Brissonnière et al. (France) 1990; 4:528-532

Autogenous tissue reconstruction in the management of aortoiliofemoral graft infection. Quiñones-Baldrich et al. (USA) 1990; 4:223-228

False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. Nussaume et al. (France) 1990; 4:388-392

Graft occlusion

Acute visceral ischemia secondary to aortic graft occlusion. Ward and Joyce. (United Kingdom) 1990; 4:502-505

Graft patency

Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275

Greenfield filter

Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

Groin wound contamination

The effect of femoral arteriography on the incidence of groin contamination and postoperative infections. Ameli et al. (Canada) 1990; 4:328-332

H

Hemodynamics

Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275

Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459

Hemorrhage

Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

Heparin

The effects of heparin upon atherogenesis in the Watanabe heritable hyperlipidemic rabbit. Workman et al. (USA) 1990; 4:344-350

The surgical implications of purpura fulminans. Cohen et al. (USA) 1990; 4:276-279

Free-floating thrombus of the extracranial internal carotid artery. Combe et al. (France) 1990; 4:558-562

Hepatic artery

Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19

Histiocytoma

Malignant fibrous histiocytoma arising from descending thoracic aorta. Busby et al. (USA) 1990; 4:185-188

Horton's disease

Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. Long et al. (France) 1990; 4:151-155

Hydrostatic dilatation

St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

Hyperlipidemia

The effects of heparin upon atherogenesis in the Watanabe heritable hyperlipidemic rabbit. Workman et al. (USA) 1990; 4:344-350

Hypertension. *see also* Renovascular hypertension

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

I**Iliac artery**

Autogenous tissue reconstruction in the management of aortoiliofemoral graft infection. Quinones-Baldrich et al. (USA) 1990; 4:223-228

Congenital anomalies of the external iliac artery: Case report and review of the literature. Tamisier et al. (France) 1990; 4:510-514

Isolated iliac artery aneurysms. Weimann et al. (Austria) 1990; 4:297-301

Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. Laurian et al. (France) 1990; 4:1-9

Iliac vein

A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304

Infection. see also Nosocomial infection

The effect of femoral arteriography on the incidence of groin contamination and postoperative infections. Ameli et al. (Canada) 1990; 4:328-332

The surgical implications of purpura fulminans. Cohen et al. (USA) 1990; 4:276-279

Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. Kaufman et al. (USA) 1990; 4:592-596

Nosocomial infection surveillance in a vascular surgery unit. Verdeil et al. (France) 1990; 4:553-557

Infrainguinal arteries

Basic data related to infrainguinal revascularization procedures. Dalman and Taylor. (USA) 1990; 4:309-312

Improved strategies for secondary operations on infrainguinal arteries. Veith et al. (USA) 1990; 4:85-93

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Infrapopliteal graft

Basic data related to infrainguinal revascularization procedures. Dalman and Taylor. (USA) 1990; 4:309-312

Internal carotid artery

Closure of the internal carotid artery after endarterectomy: The advantages of patch angioplasty without its disadvantages. Vanmaele et al. (Belgium) 1990; 4:81-84

Free-floating thrombus of the extracranial internal carotid artery. Combe et al. (France) 1990; 4:558-562

Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. Vermassen et al. (Belgium) 1990; 4:323-327

Intestinal injuries

Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377

Intestinal ischemia

Acute visceral ischemia secondary to aortic graft occlusion. Ward and Joyce. (United Kingdom) 1990; 4:502-505

Aortic reimplantation of the superior mesenteric artery for atherosclerotic lesions of the visceral arteries: Sixty cases. Kieny et al. (France) 1990; 4:122-125

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

Mesenteric infarction in Takayasu's disease. Nussaume et al. (France) 1990; 4:117-121

Recent trends in the diagnosis and management of chronic intestinal ischemia. Hallett et al. (USA) 1990; 4:126-132

Superior mesenteric artery embolism: Eighty-two cases. Batellier and Kieny. (France) 1990; 4:112-116

Ischemia. see also Cerebral ischemia; Intestinal ischemia
Bilateral congenital aplasia of the deep femoral arteries. Schmidt et al. (W. Germany) 1990; 4:498-501

Carotid artery endarterectomy in patients over seventy years-of-age. Schröe et al. (Belgium) 1990; 4:133-137

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

Preoperative evaluation of cardiac risk using dobutamine-thallium imaging in vascular surgery. Zellner et al. (USA) 1990; 4:238-243

St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

J**Jugular vein**

The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. Woodson et al. (USA) 1990; 4:494-497

K**Kawasaki's disease**

Multiple aneurysms in a seven-year-old child. Bordeaux et al. (France) 1990; 4:26-28

Kensey catheter

Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. Desbrosses et al. (France) 1990; 4:550-552

L**Laser angioplasty**

The effects of laser energy on the arterial wall. Faught and Lawrence. (USA) 1990; 4:198-207

Basic data related to laser angioplasty. Seeger. (USA) 1990; 4:515-518

Laser therapy

The use of infrared therapy in the treatment of venous ulceration. Sugrue et al. (Ireland) 1990; 4:179-181

Laser-arterial wall interactions

The effects of laser energy on the arterial wall. Faught and Lawrence. (USA) 1990; 4:198-207

Leiomyosarcoma

Popliteal artery leiomyosarcoma: A case report and review of the literature. Briggs et al. (England) 1990; 4:365-369

Leriche, René

René Leriche and his work as time goes by. Kieny. (France) 1990; 4:105-111

Limb salvage

The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

Improved strategies for secondary operations on infrainguinal arteries. Veith et al. (USA) 1990; 4:85-93

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Lipid metabolism abnormalities

Basic data related to lipid abnormalities in peripheral vascular disease. Rapp. (USA) 1990; 4:604-608

Lower extremity arterial disease. *see also* Peripheral vascular disease

Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290

Can duplex scanning replace arteriography for lower extremity arterial disease? Kohler et al. (USA) 1990; 4:280-287

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. Aligne et al. (France) 1990; 4:143-146

Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. Clément et al. (France) 1990; 4:519-527

Lumbar injuries

Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377

Lumbar vertebrae erosion

A chronic contained rupture of an abdominal aortic aneurysm complicated with severe back pain. Nakagawa et al. (Japan) 1990; 4:189-192

Lymphedema

An easy method for diagnosis of lymphedema. Richards et al. (USA) 1990; 4:255-259

Lymphoscintigraphy

An easy method for diagnosis of lymphedema. Richards et al. (USA) 1990; 4:255-259

M

Mesenteric artery

Arteriportal fistulas: Twelve cases. Pietri et al. (France) 1990; 4:533-539

Mesenteric infarction

Mesenteric infarction in Takayasu's disease. Nussaume et al. (France) 1990; 4:117-121

Superior mesenteric artery embolism: Eighty-two cases. Batellier and Kieny. (France) 1990; 4:112-116

Mortality and morbidity

Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290

Combined mortality and morbidity of direct surgical treatment of abdominal aortic aneurysm. Brancheau et al. (France) 1990; 4:10-14

Mycotic aneurysm

Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. Kaufman et al. (USA) 1990; 4:592-596

N

Neurologic complications

Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. Gagliardi et al. (France) 1990; 4:546-549

Nosocomial infection. *see* Infection

O

Obstruction. *see also* Occlusive disease

Calcified obstructive disease of the aortic isthmus. Coffin et al. (France) 1990; 4:147-150

Subclavian vein obstruction and thoracic outlet syndrome: A review of etiology and management. Sanders and Haug. (USA) 1990; 4:397-410

Occlusive disease

The calcium messenger system and the kinetics of elastase release from human neutrophils in patients with abdominal aortic aneurysms. Cohen et al. (USA) 1990; 4:570-574

Calcified obstructive disease of the aortic isthmus. Coffin et al. (France) 1990; 4:147-150

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. Vermassen et al. (Belgium) 1990; 4:323-327

Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. Gagliardi et al. (France) 1990; 4:546-549

Occlusive disease of the renal arteries and chronic renal failure: The limits of reconstructive surgery. Mercier et al. (France) 1990; 4:166-170

Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. Desbrosses et al. (France) 1990; 4:550-552

Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. Aligne et al. (France) 1990; 4:143-146

Proximal percutaneous balloon angioplasty and distal bypass for multilevel arterial occlusion. Wilson et al. (USA) 1990; 4:351-355

Results of percutaneous transluminal angioplasty for peripheral vascular occlusive disease. Wilson and Sheppard. (USA) 1990; 4:94-97

Successful percutaneous angioplasty after failed femorodistal bypass. Harris et al. (USA) 1990; 4:431-436

Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493

- Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. Clément et al. (France) 1990; 4:519-527
- Occlusive interventional angiography**
Endovascular occlusive intervention in the management of trauma. Klein et al. (USA) 1990; 4:424-430
- Open-stump technique**
Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. Aligné et al. (France) 1990; 4:143-146
- Orthopedic prostheses**
Impact of the presence of orthopedic hardware on technical performance of major amputations. Kaufman et al. (USA) 1990; 4:356-358
- P**
- Pancreaticoduodenal artery aneurysm**
Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: Report of two cases and review of the literature. Quandalle et al. (France) 1990; 4:540-545
- Pancreaticoduodenectomy**
Pancreaticoduodenectomy and the celiac artery compression syndrome. Kohler et al. (USA) 1990; 4:77-80
- Pediatric vascular disease**
The surgical implications of purpura fulminans. Cohen et al. (USA) 1990; 4:276-279
Multiple aneurysms in a seven-year-old child. Bordeaux et al. (France) 1990; 4:26-28
Rupture of a superior mesenteric artery aneurysm in a child. Detroux et al. (Belgium) 1990; 4:506-509
Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493
- Pelvic perfusion**
Implantation of the distal aorta: A technique for preservation of pelvic blood flow in aortofemoral reconstruction. Goldstein et al. (USA) 1990; 4:213-217
- Pelvic venous congestion**
Aortocaval fistula and contained rupture of an abdominal aortic aneurysm presenting with pelvic venous congestion. Saxon et al. (USA) 1990; 4:381-383
- Percutaneous transluminal angioplasty.** *see* Angioplasty
- Peripheral artery aneurysm**
Basic data related to peripheral artery aneurysms. McCann. (USA) 1990; 4:411-414
- Peripheral vascular disease**
An easy method for diagnosis of lymphedema. Richards et al. (USA) 1990; 4:255-259
The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. Kaufman et al. (USA) 1990; 4:260-263
The use of infrared therapy in the treatment of venous ulceration. Sugrue et al. (Ireland) 1990; 4:179-181
Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290
Basic data related to lipid abnormalities in peripheral vascular disease. Rapp. (USA) 1990; 4:604-608
Basic data related to peripheral artery aneurysms. McCann. (USA) 1990; 4:411-414
Can duplex scanning replace arteriography for lower extremity arterial disease? Kohler et al. (USA) 1990; 4:280-287
- Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275
Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459
Impact of the presence of orthopedic hardware on technical performance of major amputations. Kaufman et al. (USA) 1990; 4:356-358
Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. Desbrosses et al. (France) 1990; 4:550-552
Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. Aligné et al. (France) 1990; 4:143-146
Proximal percutaneous balloon angioplasty and distal bypass for multilevel arterial occlusion. Wilson et al. (USA) 1990; 4:351-355
Results of percutaneous transluminal angioplasty for peripheral vascular occlusive disease. Wilson and Sheppard. (USA) 1990; 4:94-97
St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599
Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237
Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. Clément et al. (France) 1990; 4:519-527
Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184
- Persistent sciatic artery**
Congenital anomalies of the external iliac artery: Case report and review of the literature. Tamisier et al. (France) 1990; 4:510-514
- Polyurethane prostheses.** *see* Prosthesis.
- Popliteal artery**
Bilateral congenital aplasia of the deep femoral arteries. Schmidt et al. (W. Germany) 1990; 4:498-501
Popliteal artery leiomyosarcoma: A case report and review of the literature. Briggs et al. (England) 1990; 4:365-369
Preferential use of ePTFE for above-knee femoropopliteal bypass grafts. Patterson et al. (USA) 1990; 4:338-343
- Postoperative complications**
Amputation in elderly and high-risk vascular patients. Greant and VandenBrande. (Belgium) 1990; 4:288-290
Late results of preferential use of tube versus bifurcation grafts for abdominal aortic aneurysmectomy. Friedman et al. (USA) 1990; 4:39-41
Renal failure after operation for abdominal aortic aneurysm. Olsen et al. (Denmark) 1990; 4:580-583
- Prophylactic surgery**
The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. Treiman et al. (USA) 1990; 4:29-33
Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

Safety and long-term benefit of carotid endarterectomy in the asymptomatic patient. Park et al. (USA) 1990; 4:218-222

Prosthesis

The albumin-coated knitted Dacron aortic prosthesis: A clinical study. Branchereau et al. (France) 1990; 4:138-142

The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. Wu et al. (USA) 1990; 4:58-64

Clinical experience with a collagen-impregnated knitted Dacron vascular graft. Freischlag and Moore. (USA) 1990; 4:449-454

End-to-side aortoprosthetic anastomoses: Long-term computed tomography assessment. Mikati et al. (France) 1990; 4:584-591

Impact of the presence of orthopedic hardware on technical performance of major amputations. Kaufman et al. (USA) 1990; 4:356-358

Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly humans. Durante et al. (USA) 1990; 4:171-178

Polyurethane arterial prosthesis: Experimental evaluation. Martin-Mondiere et al. (France) 1990; 4:52-57

Pseudoaneurysm

Traumatic juxtarenal aortocaval fistula and pseudoaneurysm. Krishnasastri et al. (USA) 1990; 4:378-380

Traumatic pseudoaneurysm in a wrestler. Annenberg et al. (USA) 1990; 4:69-71

Pseudointimal hyperplasia

Interactions at the blood/material interface. Greisler. (USA) 1990; 4:98-103

PTFE graft

A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304

The suitability of expanded PTFE for carotid patch angioplasty. LeGrand and Linehan. (USA) 1990; 4:209-212

Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. Goëau-Brissonnière et al. (France) 1990; 4:528-532

Experimental evaluation of polymerized Dacron grafts in the iliac position of pigs. Norgren et al. (Sweden) 1990; 4:575-579

Preferential use of ePTFE for above-knee femoropopliteal bypass grafts. Patterson et al. (USA) 1990; 4:338-343

Renal artery revascularization with polytetrafluoroethylene bypass graft. Cormier et al. (France) 1990; 4:471-478

Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184

Pulmonary embolism

Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

Purpura fulminans

The surgical implications of purpura fulminans. Cohen et al. (USA) 1990; 4:276-279

R

Renal artery

Extrinsic compression of the renal artery by diaphragmatic crus. Clément et al. (France) 1990; 4:305-308

Occlusive disease of the renal arteries and chronic renal failure: The limits of reconstructive surgery. Mercier et al. (France) 1990; 4:166-170

Reconstructive surgery of the renal arteries in Takayasu's disease. Kieffer et al. (France) 1990; 4:156-165

Renal artery revascularization with polytetrafluoroethylene bypass graft. Cormier et al. (France) 1990; 4:471-478

Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493

Renal failure

Occlusive disease of the renal arteries and chronic renal failure: The limits of reconstructive surgery. Mercier et al. (France) 1990; 4:166-170

Renal failure after operation for abdominal aortic aneurysm. Olsen et al. (Denmark) 1990; 4:580-583

Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493

Renal insufficiency

Carbon dioxide digital subtraction arteriography: A pilot study. Weaver et al. (USA) 1990; 4:437-441

Renal transplantation

Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. Senofsky et al. (USA) 1990; 4:182-184

Renovascular hypertension

Extrinsic compression of the renal artery by diaphragmatic crus. Clément et al. (France) 1990; 4:305-308

Reconstructive surgery of the renal arteries in Takayasu's disease. Kieffer et al. (France) 1990; 4:156-165

Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493

Retinal artery

The natural history of amaurosis fugax with minor degrees of internal carotid artery stenosis. Torem et al. (USA) 1990; 4:46-51

Retroperitoneal fibrosis

Iliacaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. Combe et al. (France) 1990; 4:20-25

Revascularization

Basic data related to infrainguinal revascularization procedures. Dalman and Taylor. (USA) 1990; 4:309-312

Free vascularized tissue transfer for limb salvage in peripheral vascular disease. Greenwald et al. (USA) 1990; 4:244-254

Intraoperative transcutaneous oxygen tension criteria for completion arteriography. Alexander et al. (USA) 1990; 4:333-337

Occlusive disease of the renal arteries and chronic renal failure: The limits of reconstructive surgery. Mercier et al. (France) 1990; 4:166-170

Reconstructive surgery of the renal arteries in Takayasu's disease. Kieffer et al. (France) 1990; 4:156-165

Renal artery revascularization with polytetrafluoroethylene bypass graft. Cormier et al. (France) 1990; 4:471-478

Surgical treatment of complete renal artery occlusion in pediatric patients. Valdés et al. (Chile) 1990; 4:490-493

Rotary atherectomy

Histologic and morphologic effects of rotary atherectomy on human cadaver arteries. Ahn et al. (USA) 1990; 4:563-569

Rupture

- A chronic contained rupture of an abdominal aortic aneurysm complicated with severe back pain. Nakagawa et al. (Japan) 1990; 4:189-192
- Aortocaval fistula and contained rupture of an abdominal aortic aneurysm presenting with pelvic venous congestion. Saxon et al. (USA) 1990; 4:381-383
- Isolated iliac artery aneurysms. Weimann et al. (Austria) 1990; 4:297-301
- Rupture of a superior mesenteric artery aneurysm in a child. Detroux et al. (Belgium) 1990; 4:506-509
- Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19

S**Saphenous vein bypass**

- Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275

Sarcomatous vascular tumors

- Malignant fibrous histiocytoma arising from descending thoracic aorta. Busby et al. (USA) 1990; 4:185-188

Seat belt syndrome

- Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377

Spinal osseous anomaly

- Spontaneous aneurysm of the extracranial vertebral artery associated with spinal osseous anomaly. Habozit and Battistelli. (France) 1990; 4:600-603

St. Anthony's fire

- St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

Stenosis. *see also* Carotid artery stenosis

- Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: Report of two cases and review of the literature. Quandalle et al. (France) 1990; 4:540-545

- Pancreaticoduodenectomy and the celiac artery compression syndrome. Kohler et al. (USA) 1990; 4:77-80

Stroke

- Carotid artery endarterectomy in patients over seventy years-of-age. Schröe et al. (Belgium) 1990; 4:133-137
- The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. Treiman et al. (USA) 1990; 4:29-33

Subclavian artery biopsy

- Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. Long et al. (France) 1990; 4:151-155

Subclavian vein

- Subclavian vein obstruction and thoracic outlet syndrome: A review of etiology and management. Sanders and Haug. (USA) 1990; 4:397-410

Superior mesenteric artery

- Aortic reimplantation of the superior mesenteric artery for atherosclerotic lesions of the visceral arteries: Sixty cases. Kieny et al. (France) 1990; 4:122-125
- Mesenteric infarction in Takayasu's disease. Nussaume et al. (France) 1990; 4:117-121

- Rupture of a superior mesenteric artery aneurysm in a child. Detroux et al. (Belgium) 1990; 4:506-509

- Superior mesenteric artery embolism: Eighty-two cases. Batellier and Kieny. (France) 1990; 4:112-116

Supraceliac clamping

- Supraceliac clamping: An underused alternative in aortic surgery. Joyce and Ward. (United Kingdom) 1990; 4:393-396

Surgical techniques. *see* Technical notes**Survival statistics**

- Long-term survival in patients undergoing resection of abdominal aortic aneurysm. Vohra et al. (Scotland) 1990; 4:460-465

Sympathectomy

- René Leriche and his work as time goes by. Kieny. (France) 1990; 4:105-111

T**Takayasu's disease**

- Mesenteric infarction in Takayasu's disease. Nussaume et al. (France) 1990; 4:117-121

- Reconstructive surgery of the renal arteries in Takayasu's disease. Kieffer et al. (France) 1990; 4:156-165

- Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. Long et al. (France) 1990; 4:151-155

Technetium 99m sulfur minicolloid

- An easy method for diagnosis of lymphedema. Richards et al. (USA) 1990; 4:255-259

Technical notes

- Closure of the internal carotid artery after endarterectomy: The advantages of patch angioplasty without its disadvantages. Vanmaele et al. (Belgium) 1990; 4:81-84

- Supraceliac clamping: An underused alternative in aortic surgery. Joyce and Ward. (United Kingdom) 1990; 4:393-396

Thoracic outlet syndrome

- Subclavian vein obstruction and thoracic outlet syndrome: A review of etiology and management. Sanders and Haug. (USA) 1990; 4:397-410

Thromboembolic venous disease

- Iliocaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. Combe et al. (France) 1990; 4:20-25

Thrombogenicity

- Interactions at the blood/material interface. Greisler. (USA) 1990; 4:98-103

Thrombosis

- Free-floating thrombus of the extracranial internal carotid artery. Combe et al. (France) 1990; 4:558-562

- Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459

- Improved strategies for secondary operations on infrainguinal arteries. Veith et al. (USA) 1990; 4:85-93

- Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

- St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. Baader et al. (USA) 1990; 4:597-599

Subclavian vein obstruction and thoracic outlet syndrome: A review of etiology and management. Sanders and Haug. (USA) 1990; 4:397-410

Transcutaneous oxygen measurement

Intraoperative transcutaneous oxygen tension criteria for completion arteriography. Alexander et al. (USA) 1990; 4:333-337

Transfemoral arteriography

Anatomic and clinical factors associated with complications of transfemoral arteriography. Lilly et al. (USA) 1990; 4:264-269

Transverse laparotomy

Combined mortality and morbidity of direct surgical treatment of abdominal aortic aneurysm. Branchereau et al. (France) 1990; 4:10-14

Trauma

The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. Woodson et al. (USA) 1990; 4:494-497

Endovascular occlusive intervention in the management of trauma. Klein et al. (USA) 1990; 4:424-430
Seat belt aorta. Randhawa and Menzoian. (USA) 1990; 4:370-377

Traumatic juxtarenal aortocaval fistula and pseudoaneurysm. Krishnasastri et al. (USA) 1990; 4:378-380

Traumatic pseudoaneurysm in a wrestler. Annenberg et al. (USA) 1990; 4:69-71

Traumatic superior mesenteric artery—portal vein fistula. Deitrick et al. (USA) 1990; 4:72-76

Vascular injuries in the urban battleground: Experience at a metropolitan trauma center. Bongard et al. (USA) 1990; 4:415-418

Tube graft. *see* Graft

Type III collagen deficiency

Type IV Ehlers-Danlos syndrome with isolated arterial involvement. Bellenot et al. (France) 1990; 4:15-19

U

Ulceration

A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304

The use of infrared therapy in the treatment of venous ulceration. Sugrue et al. (Ireland) 1990; 4:179-181

Accuracy of B-mode ultrasonography in detecting carotid plaque hemorrhage and ulceration. Barry et al. (S. Africa) 1990; 4:466-470

Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459

Ultrasound. *see also* B-mode ultrasonography

Can duplex scanning replace arteriography for lower extremity arterial disease? Kohler et al. (USA) 1990; 4:280-287

Doppler ultrasound in aortic dissections: A study of cephalic and peripheral arteries. Dany et al. (France) 1990; 4:442-448

Intraluminal vascular ultrasound: Preliminary report of dimensional and morphologic accuracy. Kopchok et al. (USA) 1990; 4:291-296

Safe extracranial vascular evaluation and surgery without preoperative arteriography. Hill et al. (USA) 1990; 4:34-38

Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. Reith et al. (W. Germany) 1990; 4:359-364

V

Vascular injuries

Vascular injured in the urban battleground: Experience at a metropolitan trauma center. Bongard et al. (USA) 1990; 4:415-418

Vascular reconstruction

A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304

The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. Woodson et al. (USA) 1990; 4:494-497

Autogenous tissue reconstruction in the management of aortoiliac femoral graft infection. Quifones-Baldrich et al. (USA) 1990; 4:223-228

Implantation of the distal aorta: A technique for preservation of pelvic blood flow in aortofemoral reconstruction. Goldstein et al. (USA) 1990; 4:213-217

Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. Reichman et al. (USA) 1990; 4:233-237

Vascular surgery

Basic data related to cardiac testing and cardiac risk associated with vascular surgery. Yeager. (USA) 1990; 4:193-197

Nosocomial infection surveillance in a vascular surgery unit. Verdeil et al. (France) 1990; 4:553-557

René Leriche and his work as time goes by. Kieny. (France) 1990; 4:105-111

Velocity waveform analysis

Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. Schmitt et al. (USA) 1990; 4:270-275

Vena cava

A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. Murchan et al. (Ireland) 1990; 4:302-304

Iliocaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. Combe et al. (France) 1990; 4:20-25

Prophylactic placement of vena caval filters: A cautionary note. Greene et al. (USA) 1990; 4:229-232

Venous compression

Iliocaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. Combe et al. (France) 1990; 4:20-25

Venous valves

Functional status of the deep venous system after an episode of deep venous thrombosis. Van Bemmelen et al. (USA) 1990; 4:455-459

Verapamil

The calcium messenger system and the kinetics of elastase release from human neutrophils in patients

with abdominal aortic aneurysms. Cohen et al.
(USA) 1990; 4:570-574

Vertebral artery

Spontaneous aneurysm of the extracranial vertebral
artery associated with spinal osseous anomaly.

Habozit and Battistelli. (France) 1990; 4:600-603

Vocal cord paralysis

Vocal cord paralysis following carotid endarterectomy:
The paradox of return of function. Sannella et al.
(USA) 1990; 4:42-45

Annals of Vascular Surgery 1990

A

- Abdool-Carim ATO (*see* Vohra et al.) 1990; 4:460-465
 Abe H (*see* Nakagawa et al.) 1990; 4:189-192
 Abet D (*see* Pietri et al.) 1990; 4:533-539
 Agerskov K (*see* Olsen et al.) 1990; 4:580-583
 Ahlquist DA (*see* Hallett et al.) 1990; 4:126-132
 Ahn SS, Arca MJ, Marcus DR, Moore WS. Histologic and morphologic effects of rotary atherectomy on human cadaver arteries. 1990; 4:563-569
 Akers DL (*see* Hill et al.) 1990; 4:34-38
 Albrand JJ (*see* Mercier et al.) 1990; 4:166-170
 Alexander JB, Pello MJ, Spence RK, Camishion RC. Intraoperative transcatheter oxygen tension criteria for completion arteriography. 1990; 4:333-337
 Aligne C, Farcot M, Favre JP, Alnashawati G, De Simone F, Barral X. Primary closure of below-knee amputation stumps: A prospective study of sixty-two cases. 1990; 4:143-146
 Alimi Y (*see* Mercier et al.) 1990; 4:166-170
 Allenberg JR (*see* Schmidt et al.) 1990; 4:498-501
 Alnashawati G (*see* Aligne et al.) 1990; 4:143-146
 Alswies S (*see* Coffin et al.) 1990; 4:147-150
 Alzaoubi I (*see* Laurian et al.) 1990; 4:1-9
 Ameli FM, Knackstedt J, Provan JL, St. Louis EL. The effect of femoral arteriography on the incidence of groin contamination and postoperative infections. 1990; 4:328-332
 Andreassian B (*see* Nussaume et al.) 1990; 4:117-121, 1990; 4:388-392
 Andros G (*see* Harris et al.) 1990; 4:431-436
 Andros G (*see* Kohler et al.) 1990; 4:280-287
 Annenberg AJ, Vaccaro PS, Zuelzer WA. Traumatic pseudoaneurysm in a wrestler. 1990; 4:69-71
 Arca MJ (*see* Ahn et al.) 1990; 4:563-569
 Arnell RE (*see* Wu et al.) 1990; 4:58-64
 Artru B (*see* Cormier et al.) 1990; 4:471-478
 Ascer E (*see* Veith et al.) 1990; 4:85-93
 Avril G (*see* Gagliardi et al.) 1990; 4:546-549

B

- Baader W, Herman C, Johansen K. St. Anthony's fire: Successful reversal of ergotamine-induced peripheral vasospasm by hydrostatic dilatation. 1990; 4:597-599
 Bacchini P (*see* Stella et al.) 1990; 4:384-387
 Bacourt F (*see* Goëau-Brissonnière et al.) 1990; 4:528-532
 Baliga PK (*see* Hill et al.) 1990; 4:34-38
 Bandyk DF (*see* Schmitt et al.) 1990; 4:270-275
 Barral X (*see* Aligne et al.) 1990; 4:143-146
 Barret A (*see* Verdeil et al.) 1990; 4:553-557
 Barrionuevo D (*see* Desbrosses et al.) 1990; 4:550-552

- Barry R, Pienaar C, Nel CJC. Accuracy of B-mode ultrasonography in detecting carotid hemorrhage and ulceration. 1990; 4:466-470
 Bassiouny HS. Basic Science in Vascular Surgery (Book review). 1990; 4:104
 Batellier J (*see* Kieny et al.) 1990; 4:122-125
 Batellier J, Kieny R. Superior mesenteric artery embolism: Eighty-two cases. 1990; 4:112-116
 Batt M (*see* Gagliardi et al.) 1990; 4:546-549
 Battistelli JM (*see* Habozit and Battistelli.) 1990; 4:600-603
 Beach K (*see* Van Bemmelen et al.) 1990; 4:455-459
 Bedford G (*see* Van Bemmelen et al.) 1990; 4:455-459
 Bell DD (*see* Campbell et al.) 1990; 4:419-423
 Bell WH (*see* Hill et al.) 1990; 4:34-38
 Bellenot F, Boisgard S, Kantelip B, Maillard P, Tissandier P, Ribal JP, Glanddier G. Type IV Ehlers-Danlos syndrome with isolated arterial involvement. 1990; 4:15-19
 Bensaid J (*see* Dany et al.) 1990; 4:442-448
 Berman J (*see* Dachs et al.) 1990; 4:65-68
 Bernstein EF (*see* Torem et al.) 1990; 4:46-51
 Berszenyi G (*see* Vermassen et al.) 1990; 4:323-327
 Bertal A (*see* Kieffer et al.) 1990; 4:156-165
 Besancenot J (*see* Combe et al.) 1990; 4:20-25, 1990; 4:558-562
 Blétry O (*see* Kieffer et al.) 1990; 4:156-165
 Blampain JP (*see* Detroux et al.) 1990; 4:506-509
 Block JL (*see* Schmitt et al.) 1990; 4:270-275
 Boisgard S (*see* Bellenot et al.) 1990; 4:15-19
 Bongard FS (*see* Klein et al.) 1990; 4:424-430
 Bongard FS, Dubrow T, Klein S. Vascular injuries in the urban battleground: Experience at a metropolitan trauma center. 1990; 4:415-418
 Bonneville JF (*see* Combe et al.) 1990; 4:558-562
 Bordeaux J, Guys JM, Magnan PE. Multiple aneurysms in a seven-year-old child. 1990; 4:26-28
 Bossavy JP (*see* Verdeil et al.) 1990; 4:553-557
 Bouttier S (*see* Nussaume et al.) 1990; 4:117-121, 1990; 4:388-392
 Branchereau A, Nazet J, Colavolpe JC, Scotti L. Combined mortality and morbidity of direct surgical treatment of abdominal aortic aneurysm. 1990; 4:10-14
 Branchereau A, Rudondy P, Gournier JP, Espinoza H. The albumin-coated knitted Dacron aortic prosthesis: A clinical study. 1990; 4:138-142
 Branger C (*see* Nussaume et al.) 1990; 4:388-392
 Briggs PJ, Pooley J, Malcolm AJ, Chamberlain J. Popliteal artery leiomyosarcoma: A case report and review of the literature. 1990; 4:365-369
 Bruneval P (*see* Long et al.) 1990; 4:151-155
 Busby JR, Ochsner JL, Emory WB, Flaum M, Mitchell W, Farber MA. Malignant fibrous histiocytoma arising from descending thoracic aorta. 1990; 4:185-188

C

- Camelot G (see Combe et al.) 1990; 4:20-25, 1990; 4:558-562
 Camilleri JP (see Long et al.) 1990; 4:151-155
 Camishion RC (see Alexander et al.) 1990; 4:333-337
 Campbell JJ, Bell DD, Gaspar MR. Selective use of arteriography in the assessment of aortic aneurysm repair. 1990; 4:419-423
 Capel GC (see Kaufman et al.) 1990; 4:592-596
 Carbonneau K (see Hill et al.) 1990; 4:34-38
 Carney WI (see Lilly et al.) 1990; 4:264-269
 Carolan J (see Sugrue et al.) 1990; 4:179-181
 Cato RF (see Schmitt et al.) 1990; 4:270-275
 Cattin F (see Combe et al.) 1990; 4:558-562
 Chabanier A (see Dany et al.) 1990; 4:442-448
 Chamberlain J (see Briggs et al.) 1990; 4:365-369
 Chambon JP (see Quandalle et al.) 1990; 4:540-545
 Chang BB (see Kaufman et al.) 1990; 4:260-263, 1990; 4:356-358, 1990; 4:592-596
 Cherry KJ (see Hallett et al.) 1990; 4:126-132
 Cho S (see Deitrick et al.) 1990; 4:72-76
 Chopard JL (see Combe et al.) 1990; 4:558-562
 Christides C (see Dany et al.) 1990; 4:442-448
 Cipro RP (see Sannella et al.) 1990; 4:42-45
 Clément C, Costa-Foru B, Vernon P, Nicaise H. Transluminal angioplasty performed by the surgeon in lower limb arterial occlusive disease: One hundred fifty cases. 1990; 4:519-527
 Clément C, Ruiz R, Costa-Foru B, Nicaise H. Extrinsic compression of the renal artery by diaphragmatic crus. 1990; 4:305-308
 Clarke R (see Workman et al.) 1990; 4:344-349
 Clement RE (see Dachs et al.) 1990; 4:65-68
 Clowes A (see Kohler et al.) 1990; 4:280-287
 Coan DE (see Durante et al.) 1990; 4:171-178
 Coffin O, Maiza D, Alsweis S. Calcified obstructive disease of the aortic isthmus. 1990; 4:147-150
 Cohen JL (see Treiman et al.) 1990; 4:29-33
 Cohen JR, Faust G, Tenenbaum N, Sarfati I, Rogowsky P, Wise L. The calcium messenger system and the kinetics of elastase release from human neutrophils in patients with abdominal aortic aneurysms. 1990; 4:570-574
 Cohen JR, Lackner R, Keller A, Douglas B. The surgical implications of purpura fulminans. 1990; 4:276-279
 Colavolpe JC (see Branchereau et al.) 1990; 4:10-14
 Collins PS (see Richards et al.) 1990; 4:255-259
 Combe J, Besancenot J, Milleret P, Camelot G. Iliocaval venous compression due to aneurysm of the abdominal aorta: Report of ten cases. 1990; 4:20-25
 Combe J, Poinsard P, Besancenot J, Camelot G, Cattin F, Bonneville JF, Moulin T, Henlin JL, Chopard JL, Cotte L. Free-floating thrombus of the extracranial internal carotid artery. 1990; 4:558-562
 Comerota AJ (see Greenwald et al.) 1990; 4:244-254
 Cormier JM (see Laurian et al.) 1990; 4:1-9
 Cormier JM (see Long et al.) 1990; 4:151-155
 Cormier JM (see Tamisier et al.) 1990; 4:510-514
 Cormier JM, Fichelle JM, Laurian C, Gigou F, Artru B, Ricco JB. Renal artery revascularization with polytetrafluoroethylene bypass graft. 1990; 4:471-478
 Cossman DV (see Treiman et al.) 1990; 4:29-33
 Costa-Foru B (see Clément et al.) 1990; 4:305-308, 1990; 4:519-527
 Cotte L (see Combe et al.) 1990; 4:558-562
 Cramers M (see Kohler et al.) 1990; 4:77-80

- Cross AP (see Wilson et al.) 1990; 4:351-355
 Curti T (see Stella et al.) 1990; 4:384-387

D

- D'Addato M (see Stella et al.) 1990; 4:384-387
 Dachs R, Clement RE, Dziura B, Berman J. A paraprostatic-enteric fistula associated with a duodenal tumor. 1990; 4:65-68
 Dalman RL, Taylor LM. Basic data related to infringuinal revascularization procedures. 1990; 4:309-312
 Dany F, Bensaid J, Hamel J, Chabanier A, Delhoume B, Christides C. Doppler ultrasound in aortic dissections: A study of cephalic and peripheral arteries. 1990; 4:442-448
 Daune B (see Gagliardi et al.) 1990; 4:546-549
 David P (see Martin-Mondiere et al.) 1990; 4:52-57
 De Maeseneer M (see Vanmaele et al.) 1990; 4:81-84
 De Roose J (see Vermassen et al.) 1990; 4:323-327
 De Simone F (see Aligne et al.) 1990; 4:143-146
 Debas H (see Kohler et al.) 1990; 4:77-80
 Deckoff SL (see Friedman et al.) 1990; 4:39-41
 Deckoff SL (see Krishnasastri et al.) 1990; 4:378-380
 Declémy S (see Gagliardi et al.) 1990; 4:546-549
 Deitrick J, McNeill P, Posner MP, Kellum J, Cho S, Tisnado J, Lee HM. Traumatic superior mesenteric artery—portal vein fistula. 1990; 4:72-76
 Delhoume B (see Dany et al.) 1990; 4:442-448
 Derom F (see Vermassen et al.) 1990; 4:323-327
 Desbrosses D, Petit H, Torres E, Barrionuevo D, Figueroa A, Wenger JJ, Ramenah B, Kiény R. Percutaneous atherectomy with the Kensey catheter: Early and midterm results in femoropopliteal occlusions unsuitable for conventional angioplasty. 1990; 4:550-552
 Detroux M, Fievez M, Massin H, Blampain JP. Rupture of a superior mesenteric artery aneurysm in a child. 1990; 4:506-509
 Dilley RB (see Torem et al.) 1990; 4:46-51
 Donovan DL (see Workman et al.) 1990; 4:344-349
 Donovan E (see Sannella et al.) 1990; 4:42-45
 Doscher W (see Friedman et al.) 1990; 4:39-41
 Doscher W (see Krishnasastri et al.) 1990; 4:378-380
 Douglas B (see Cohen et al.) 1990; 4:276-279
 Dubrow T (see Bongard et al.) 1990; 4:415-418
 Duchatelle JP (see Nussaume et al.) 1990; 4:117-121
 Dulawa LB (see Harris et al.) 1990; 4:431-436
 Durante KR (see Wu et al.) 1990; 4:58-64
 Durante KR, Wu HD, Sauvage LR, Shi Q, Wechezak AR, Coan DE, Kaplan S, Patel MD, Walker MW. Implant site: A determinant of completeness of arterial prosthesis healing in the dog and possibly in humans. 1990; 4:171-178
 Dziura B (see Dachs et al.) 1990; 4:65-68

E

- Edwards JW (see Schmitt et al.) 1990; 4:270-275
 El-Bayar H (see Park et al.) 1990; 4:218-222
 Elliott BM (see Zellner et al.) 1990; 4:238-243
 Elzaabi M (see Nussaume et al.) 1990; 4:388-392
 Emory WB (see Busby et al.) 1990; 4:185-188
 Espinoza H (see Branchereau et al.) 1990; 4:138-142

F

- Fagelman D (see Friedman et al.) 1990; 4:39-41

- Faggioli G (see Stella et al.) 1990; 4:384-387
Farber MA (see Busby et al.) 1990; 4:185-188
Farcot M (see Aligne et al.) 1990; 4:143-146
Faught WE, Lawrence PF. The effects of laser energy on the arterial wall. 1990; 4:198-207
Faust G (see Cohen et al.) 1990; 4:570-574
Favre JP (see Aligne et al.) 1990; 4:143-146
Feeley TM (see Murchan et al.) 1990; 4:302-304
Feeley TM (see Sugrue et al.) 1990; 4:179-181
Fellmeth B (see Senofsky et al.) 1990; 4:182-184
Fichelle JM (see Cormier et al.) 1990; 4:471-478
Fiessinger JN (see Long et al.) 1990; 4:151-155
Fievez M (see Detroux et al.) 1990; 4:506-509
Figuerola A (see Desbrosses et al.) 1990; 4:550-552
Flamme A (see Vermassen et al.) 1990; 4:323-327
Flaum M (see Busby et al.) 1990; 4:185-188
Flora G (see Weimann et al.) 1990; 4:297-301
Foran RF (see Treiman et al.) 1990; 4:29-33
Fowl RJ (see Patterson et al.) 1990; 4:338-343
Freischlag JA (see Park et al.) 1990; 4:218-222
Freischlag JA (see Senofsky et al.) 1990; 4:182-184
Freischlag JA, Moore WS. Clinical experience with a collagen-impregnated knitted Dacron vascular graft. 1990; 4:449-454
Friedman SG (see Krishnasastry et al.) 1990; 4:378-380
Friedman SG, Hardaway MY, Jurkiewicz AJ, Krishnasastry KV, Doscher W, Deckoff SL, Fagelman D. Late results of preferential use of tube versus bifurcation grafts for abdominal aortic aneurysmectomy. 1990; 4:39-41
Furukawa H (see Nakagawa et al.) 1990; 4:189-192
- G**
- Gabriel N (see Sannella et al.) 1990; 4:42-45
Gagliardi JM, Batt M, Avril G, Declémy S, Hassen-Khodja R, Daune B, Sanchez B, Le Bas P. Neurologic complications of axillary and brachial catheter arteriography in atherosclerotic patients: Predictive factors. 1990; 4:546-549
Gargiulo M (see Stella et al.) 1990; 4:384-387
Gaspar MR (see Campbell et al.) 1990; 4:419-423
Gelabert HA (see Quiñones-Baldrich and Gelabert.) 1990; 4:223-228
Gewirtz R (see Patterson et al.) 1990; 4:338-343
Gigou F (see Cormier et al.) 1990; 4:471-478
Gigou F (see Laurian et al.) 1990; 4:1-9
Glanddier G (see Bellenot et al.) 1990; 4:15-19
Glockner F (see Kaufman et al.) 1990; 4:356-358
Glover WM (see Saxon et al.) 1990; 4:381-383
Goëau-Brissonnière O, Lepout C, Lebrault C, Renier JF, Bacourt F, Vildé JL, Péchère JC. Antibiotic prophylaxis of late bacteremic vascular graft infection in a dog model. 1990; 4:528-532
Godeau P (see Kieffer et al.) 1990; 4:156-165
Goff SG (see Wu et al.) 1990; 4:58-64
Goldstein AM, Youkey JR, Pharr WF. Implantation of the distal aorta: A technique for preservation of pelvic blood flow in aortofemoral reconstruction. 1990; 4:213-217
Goldstone J (see Kohler et al.) 1990; 4:280-287
Gournier JP (see Branchereau et al.) 1990; 4:138-142
Greant Ph, Van den Brande P. Amputation in elderly and high-risk vascular patients. 1990; 4:288-290

- Greene BS, Hellwarth G, Rundell WK, Lemmon GW, Procter CD. Prophylactic placement of vena caval filters: A cautionary note. 1990; 4:229-232
Greenwald LL, Comerota AJ, Mitra A, Grosh JD, White JV. Free vascularized tissue transfer for limb salvage in peripheral vascular disease. 1990; 4:244-254
Greisler HP. Interactions at the blood/material interface. 1990; 4:98-103
Groome J (see Vohra et al.) 1990; 4:460-465
Grosh JD (see Greenwald et al.) 1990; 4:244-254
Gupta SK (see Veith et al.) 1990; 4:85-93
Guthrie C (see Kopchok et al.) 1990; 4:291-296
Guys JM (see Bordeaux et al.) 1990; 4:26-28

H

- Habozit B, Battistelli JM. Spontaneous aneurysm of the extracranial vertebral artery associated with spinal osseous anomaly. 1990; 4:600-603
Habozit B. The silent brain infarct before and after carotid surgery. 1990; 4:485-489
Hallberg E (see Norgren et al.) 1990; 4:575-579
Hallett JW, James ME, Ahlquist DA, Larson MV, McAfee MK, Cherry KJ. Recent trends in the diagnosis and management of chronic intestinal ischemia. 1990; 4:126-132
Hamel J (see Dany et al.) 1990; 4:442-448
Hardaway MY (see Friedman et al.) 1990; 4:39-41
Harris RW, Andros G, Oblath RW, Salles-Cunha SX, Dulawa LB. Successful percutaneous angioplasty after failed femorodistal bypass. 1990; 4:431-436
Hassen-Khodja R (see Gagliardi et al.) 1990; 4:546-549
Haug C (see Sanders and Haug.) 1990; 4:397-410
Hayashida N (see Nakagawa et al.) 1990; 4:189-192
Hellwarth G (see Greene et al.) 1990; 4:229-232
Hendrix GH (see Zellner et al.) 1990; 4:238-243
Henlin JL (see Combe et al.) 1990; 4:558-562
Herman C (see Baader et al.) 1990; 4:597-599
Hill JC, Carbonneau K, Baliga PK, Akers DL, Bell WH, Kerstein MD. Safe extracranial vascular evaluation and surgery without preoperative arteriography. 1990; 4:34-38
Hsiang Y (see Kopchok et al.) 1990; 4:291-296
Hye RJ (see Park et al.) 1990; 4:218-222
Hye RJ (see Senofsky et al.) 1990; 4:182-184

I

- Icard P (see Nussaume et al.) 1990; 4:388-392

J

- James ME (see Hallett et al.) 1990; 4:126-132
Jawien A (see Norgren et al.) 1990; 4:575-579
Jenvey W (see Reichman et al.) 1990; 4:233-237
Johansen K (see Baader et al.) 1990; 4:597-599
Johansen K (see Kohler et al.) 1990; 4:280-287
Jordan PJ (see Van der Watt et al.) 1990; 4:479-484
Joyce WP (see Ward and Joyce.) 1990; 4:502-505
Joyce WP, Ward AS. Supraceliac clamping: An under-used alternative in aortic surgery. 1990; 4:393-396
Jurkiewicz AJ (see Friedman et al.) 1990; 4:39-41

K

- Kantelip B (see Bellenot et al.) 1990; 4:15-19

- Kaplan S (*see* Durante et al.) 1990; 4:171-178
 Kaplan S (*see* Wu et al.) 1990; 4:58-64
 Karp DL (*see* Schmitt et al.) 1990; 4:270-275
 Kasegawa H (*see* Nakagawa et al.) 1990; 4:189-192
 Kaufman JL, Glockner F, Chang BB, Koslow AR, Shah DM, Leather RP. Impact of the presence of orthopedic hardware on technical performance of major amputations. 1990; 4:356-358
 Kaufman JL, Saifi J, Chang BB, Shah DM, Leather RP. The role of extraanatomic exclusion bypass in the treatment of disseminated atheroembolism syndrome. 1990; 4:260-263
 Kaufman JL, Smith R, Capel GC, Shah DM, Chang BB, Leather RP. Antibiotic therapy for arterial infection: Lessons from the successful treatment of a mycotic femoral artery aneurysm without surgical reconstruction. 1990; 4:592-596
 Keller A (*see* Cohen et al.) 1990; 4:276-279
 Kellum J (*see* Deitrick et al.) 1990; 4:72-76
 Kempczinski RF (*see* Patterson et al.) 1990; 4:338-343
 Kerstein MD (*see* Hill et al.) 1990; 4:34-38
 Kieffer E, Piquois A, Bertal A, Blétry O, Godeau P. Reconstructive surgery of the renal arteries in Takayasu's disease. 1990; 4:156-165
 Kiény R (*see* Batellier and Kiény.) 1990; 4:112-116
 Kiény R (*see* Desbrosses et al.) 1990; 4:550-552
 Kiény R, Batellier J, Kretz JG. Aortic reimplantation of the superior mesenteric artery for atherosclerotic lesions of the visceral arteries: Sixty cases. 1990; 4:122-125
 Kiény R, René Leriche and his work as time goes by. 1990; 4:105-111
 Klein SR (*see* Bongard et al.) 1990; 4:415-418
 Klein SR, Mehringer CM, Bongard FS. Endovascular occlusive intervention in the management of trauma. 1990; 4:424-430
 Knackstedt J (*see* Ameli et al.) 1990; 4:328-332
 Kohler TR, Andros G, Porter JM, Clowes A, Goldstone J, Johansen K, Raker E, Nance DR, Strandness DE. Can duplex scanning replace arteriography for lower extremity arterial disease? 1990; 4:280-287
 Kohler TR, Debas H, Cramers M, Strandness DE. Pancreaticoduodenectomy and the celiac artery compression syndrome. 1990; 4:77-80
 Kopchok GE, White RA, Guthrie C, Hsiang Y, Rosenbaum D, White GH. Intraluminal vascular ultrasound: Preliminary report of dimensional and morphologic accuracy. 1990; 4:291-296
 Koslow AR (*see* Kaufman et al.) 1990; 4:356-358
 Krämer A (*see* Valdés E et al.) 1990; 4:490-493
 Krantz P (*see* Norgren et al.) 1990; 4:575-579
 Kretz JG (*see* Kiény et al.) 1990; 4:122-125
 Krishnasastri KV (*see* Friedman et al.) 1990; 4:39-41
 Krishnasastri KV, Friedman SG, Deckoff SL, Doscher W. Traumatic juxtarenal aortocaval fistula and pseudoaneurysm. 1990; 4:378-380
- L**
- Lackner R (*see* Cohen et al.) 1990; 4:276-279
 Larson MV (*see* Hallett et al.) 1990; 4:126-132
 Laurian C (*see* Cormier et al.) 1990; 4:471-478
 Laurian C (*see* Long et al.) 1990; 4:151-155
 Laurian C, Leclef Y, Gigou F, Alzaoubi I, Riche MC, Melki JP, Cormier JM. Pelvic arteriovenous fistulas: Therapeutic strategy in five cases. 1990; 4:1-9
 Lawrence PF (*see* Faught and Lawrence.) 1990; 4:198-207
 Le Bas P (*see* Gagliardi et al.) 1990; 4:546-549
 Le Grand DR, Linehan RL. The suitability of expanded PTFE for carotid patch angioplasty. 1990; 4:209-212
 Leather RP (*see* Kaufman et al.) 1990; 4:260-263, 1990; 4:356-358, 1990; 4:592-596
 Lebrault C (*see* Goëau-Brissonnière et al.) 1990; 4:528-532
 Leclef Y (*see* Laurian et al.) 1990; 4:1-9
 Lee HM (*see* Deitrick et al.) 1990; 4:72-76
 Leen EJ (*see* Sugrue et al.) 1990; 4:179-181
 Lemmon GW (*see* Greene et al.) 1990; 4:229-232
 Leport C (*see* Goëau-Brissonnière et al.) 1990; 4:528-532
 Levin PM (*see* Treiman et al.) 1990; 4:29-33
 Lilly MP, Reichman W, Sarazen AA, Carney WI. Anatomic and clinical factors associated with complications of transfemoral arteriography. 1990; 4:264-269
 Limet R (*see* Scheyvaerts and Limet.) 1990; 4:318-322
 Linehan RL (*see* Le Grand and Linehan.) 1990; 4:209-212
 Loepprecht H (*see* Reith et al.) 1990; 4:359-364
 Loisanse D (*see* Martin-Mondiere et al.) 1990; 4:52-57
 Long A, Bruneval P, Laurian C, Cormier JM, Camilleri JP, Fiessinger JN. Takayasu's disease: Diagnostic and therapeutic value of subclavian artery biopsy. 1990; 4:151-155
 Lorentzen JE (*see* Olsen et al.) 1990; 4:580-583
- M**
- Maes B (*see* Quandalle et al.) 1990; 4:540-545
 Magnan PE (*see* Bordeaux et al.) 1990; 4:26-28
 Maillard P (*see* Bellenot et al.) 1990; 4:15-19
 Maiza D (*see* Coffin et al.) 1990; 4:147-150
 Malcolm AJ (*see* Briggs et al.) 1990; 4:365-369
 Marache P (*see* Mikati et al.) 1990; 4:584-591
 Marache P (*see* Quandalle et al.) 1990; 4:540-545
 Marcus DR (*see* Ahn et al.) 1990; 4:563-569
 Martin-Mondiere C, David P, Loisanse D. Polyurethane arterial prosthesis: Experimental evaluation. 1990; 4:52-57
 Massin H (*see* Detroux et al.) 1990; 4:506-509
 Masuda M (*see* Nakagawa et al.) 1990; 4:189-192
 McAfee MK (*see* Hallett et al.) 1990; 4:126-132
 McBiles M (*see* Richards et al.) 1990; 4:255-259
 McCann RL. Basic data related to peripheral artery aneurysms. 1990; 4:411-414
 McNeill P (*see* Deitrick et al.) 1990; 4:72-76
 Mehringer CM (*see* Klein et al.) 1990; 4:424-430
 Melki JP (*see* Laurian et al.) 1990; 4:1-9
 Melki JP (*see* Tamisier et al.) 1990; 4:510-514
 Menzoian JO (*see* Randhawa and Menzoian.) 1990; 4:370-377
 Menzoian JO (*see* Woodson et al.) 1990; 4:494-497
 Mercier C, Piquet P, Alimi Y, Tournigand P, Albrand JJ. Occlusive disease of the renal arteries and chronic renal failure: The limits of reconstructive surgery. 1990; 4:166-170
 Mikati A, Marache P, Watel A, Warembourg H, Roux JP, Noblet D, Soots G. End-to-side aortoprosthetic anastomoses: Long-term computed tomography assessment. 1990; 4:584-591
 Milleret P (*see* Combe et al.) 1990; 4:20-25

- Mitchell W (see Busby et al.) 1990; 4:185-188
Mitra A (see Greenwald et al.) 1990; 4:244-254
Moore DJ (see Murchan et al.) 1990; 4:302-304
Moore DJ (see Sugrue et al.) 1990; 4:179-181
Moore WS (see Ahn et al.) 1990; 4:563-569
Moore WS (see Freischlag and Moore.) 1990; 4:449-454
Moulin T (see Combe et al.) 1990; 4:558-562
Murchan P, Sugrue ME, O'Malley MK, Feeley TM, Shanik DG, Moore DJ. A new technique for bilateral iliac vein and inferior vena cava reconstruction using reinforced polytetrafluoroethylene. 1990; 4:302-304

N

- Nakagawa Y, Masuda M, Shiihara H, Furukawa H, Hayashida N, Kasegawa H, Abe H, Okui K. A chronic contained rupture of an abdominal aortic aneurysm complicated with severe back pain. 1990; 4:189-192
Nance DR (see Kohler et al.) 1990; 4:280-287
Nazet J (see Branchereau et al.) 1990; 4:10-14
Nel CJC (see Barry et al.) 1990; 4:466-470
Nel CJC (see Van der Watt et al.) 1990; 4:479-484
Nevelsteen A (see Schröe et al.) 1990; 4:133-137
Nicaise H (see Clément et al.) 1990; 4:305-308, 1990; 4:519-527
Nichols B (see Reichman et al.) 1990; 4:233-237
Noblet D (see Mikati et al.) 1990; 4:584-591
Norgren L, Hallberg E, Jawien A, Krantz P, Pärsson H, Ribbe E, Thörne J. Experimental evaluation of polymerized Dacron grafts in the iliac position of pigs. 1990; 4:575-579
Nussaume O, Bouttier S, Duchatelle JP, Valere PE, Andreassian B. Mesenteric infarction in Takayasu's disease. 1990; 4:117-121
Nussaume O, Elzaabi M, Icard P, Branger C, Bouttier S, Andreassian B. False aneurysm infected by *Aspergillus fumigatus*: An unusual complication of aortofemoral bypass graft. 1990; 4:388-392

O

- O'Malley MK (see Murchan et al.) 1990; 4:302-304
Oblath RW (see Harris et al.) 1990; 4:431-436
Ochsner JL (see Busby et al.) 1990; 4:185-188
Okui K (see Nakagawa et al.) 1990; 4:189-192
Olsen PS, Schroeder T, Perko M, Røder OC, Agerskov K, Sørensen S, Lorentzen JE. Renal failure after operation for abdominal aortic aneurysm. 1990; 4:580-583
Otis SM (see Torem et al.) 1990; 4:46-51

P

- Péchère JC (see Goëau-Brissonnière et al.) 1990; 4:528-532
Pärsson H (see Norgren et al.) 1990; 4:575-579
Paetz B (see Schmidt et al.) 1990; 4:498-501
Park Y, El-Bayar H, Hye RJ, Stabile BE, Freischlag JA. Safety and long-term benefit of carotid endarterectomy in the asymptomatic patient. 1990; 4:218-222
Pasquinelli G (see Stella et al.) 1990; 4:384-387
Patel MD (see Durante et al.) 1990; 4:171-178
Patterson RB, Fowl RJ, Kempczinski RF, Gewirtz R, Shukla R. Preferential use of ePTFE for above-knee femoropopliteal bypass grafts. 1990; 4:338-343
Pedicino JF (see Sannella et al.) 1990; 4:42-45

- Pello MJ (see Alexander et al.) 1990; 4:333-337
Pentecost MJ (see Weaver et al.) 1990; 4:437-441
Perko M (see Olsen et al.) 1990; 4:580-583
Petit H (see Desbrosses et al.) 1990; 4:550-552
Pfadenhauer K (see Reith et al.) 1990; 4:359-364
Pharr WF (see Goldstein et al.) 1990; 4:213-217
Pienaar C (see Barry et al.) 1990; 4:466-470
Pietri J, Remond A, Reix T, Abet D, Sevestre H, Sevestre MA. Arterioportal fistulas: Twelve cases. 1990; 4:533-539
Piquet P (see Mercier et al.) 1990; 4:166-170
Piquois A (see Kieffer et al.) 1990; 4:156-165
Poinsard P (see Combe et al.) 1990; 4:558-562
Pollack JG (see Vohra et al.) 1990; 4:460-465
Pooley J (see Briggs et al.) 1990; 4:365-369
Porter JM (see Kohler et al.) 1990; 4:280-287
Porter RM (see Satiani and Porter.) 1990; 4:313-317
Posner MP (see Deitrick et al.) 1990; 4:72-76
Pouns J (see Verdel et al.) 1990; 4:553-557
Procter CD (see Greene et al.) 1990; 4:229-232
Provan JL (see Ameli et al.) 1990; 4:328-332

Q

- Quandalle P, Chambon JP, Marache P, Saudemont A, Maes B. Pancreaticoduodenal artery aneurysms associated with celiac axis stenosis: Report of two cases and review of the literature. 1990; 4:540-545
Quiñones-Baldrich WJ, Gelabert HA. Autogenous tissue reconstruction in the management of aortoiliac femoral graft infection. 1990; 4:223-228

R

- Røder OC (see Olsen et al.) 1990; 4:580-583
Raker E (see Kohler et al.) 1990; 4:280-287
Ramenah B (see Desbrosses et al.) 1990; 4:550-552
Randhawa MPS, Menzoian JO. Seat belt aorta. 1990; 4:370-377
Rapp JH. Basic data related to lipid abnormalities in peripheral vascular disease. 1990; 4:604-608
Reichman W (see Lilly et al.) 1990; 4:264-269
Reichman W, Nichols B, Toner J, Jenvey W, Sobel M. Strategies in the treatment of major tissue loss and gangrene: Results of 100 consecutive vascular reconstructions. 1990; 4:233-237
Reid D (see Vohra et al.) 1990; 4:460-465
Reith W, Pfadenhauer K, Loeprich H. Significance of transcranial Doppler CO₂ reactivity measurements for the diagnosis of hemodynamically relevant carotid obstructions. 1990; 4:359-364
Reix T (see Pietri et al.) 1990; 4:533-539
Remond A (see Pietri et al.) 1990; 4:533-539
Renier JF (see Goëau-Brissonnière et al.) 1990; 4:528-532
Ribal JP (see Bellenot et al.) 1990; 4:15-19
Ribbe E (see Norgren et al.) 1990; 4:575-579
Ricco JB (see Cormier et al.) 1990; 4:471-478
Richards TB, McBiles M, Collins PS. An easy method for diagnosis of lymphedema. 1990; 4:255-259
Riche MC (see Laurian et al.) 1990; 4:1-9
Rivers SP (see Veith et al.) 1990; 4:85-93
Robison JG (see Zellner et al.) 1990; 4:238-243
Roche R (see Verdel et al.) 1990; 4:553-557
Rodriguez AA (see Woodson et al.) 1990; 4:494-497

- Rogowsky P (*see* Cohen et al.) 1990; 4:570-574
 Rosenbaum D (*see* Kopchok et al.) 1990; 4:291-296
 Rossman ME (*see* Torem et al.) 1990; 4:46-51
 Roux JP (*see* Mikati et al.) 1990; 4:584-591
 Rudondy P (*see* Branchereau et al.) 1990; 4:138-142
 Ruiz R (*see* Clément et al.) 1990; 4:305-308
 Rundell WK (*see* Greene et al.) 1990; 4:229-232
- S**
- Sørensen S (*see* Olsen et al.) 1990; 4:580-583
 Saieh A C (*see* Valdés E et al.) 1990; 4:490-493
 Saifi J (*see* Kaufman et al.) 1990; 4:260-263
 Salles-Cunha SX (*see* Harris et al.) 1990; 4:431-436
 Sanchez B (*see* Gagliardi et al.) 1990; 4:546-549
 Sanders RJ, Haug C. Subclavian vein obstruction and thoracic outlet syndrome: A review of etiology and management. 1990; 4:397-410
 Sannella NA, Tober RL, Cipro RP, Pedicino JF, Donovan E, Gabriel N. Vocal cord paralysis following carotid endarterectomy: The paradox of return of function. 1990; 4:42-45
 Sarazen AA (*see* Lilly et al.) 1990; 4:264-269
 Sarfati I (*see* Cohen et al.) 1990; 4:570-574
 Satiani B, Porter RM. The influence of contralateral disease on the natural history of nonoperated significant carotid stenosis. 1990; 4:313-317
 Saudemont A (*see* Quandalle et al.) 1990; 4:540-545
 Sauvage LR (*see* Durante et al.) 1990; 4:171-178
 Sauvage LR (*see* Wu et al.) 1990; 4:58-64
 Saxon SR, Glover WM, Youkey JR. Aorticaval fistula and contained rupture of an abdominal aortic aneurysm presenting with pelvic venous congestion. 1990; 4:381-383
 Scheyvaerts M, Limet R. Intraoperative electroencephalographic monitoring during carotid surgery with routine shunting. 1990; 4:318-322
 Schmidt J, Paetz B, Allenberg JR. Bilateral congenital aplasia of the deep femoral arteries. 1990; 4:498-501
 Schmidt SP (*see* Workman et al.) 1990; 4:344-349
 Schmitt DD, Seabrook GR, Bandyk DF, Cato RF, Edwards JW, Karp DL, Block JL, Towne JB. Early patency of in situ saphenous vein bypasses as determined by intraoperative velocity waveform analysis. 1990; 4:270-275
 Schneider PA (*see* Torem et al.) 1990; 4:46-51
 Schröe H, Suy R, Nevelsteen A. Carotid artery endarterectomy in patients over seventy years-of-age. 1990; 4:133-137
 Schroeder T (*see* Olsen et al.) 1990; 4:580-583
 Scotti L (*see* Branchereau et al.) 1990; 4:10-14
 Seabrook GR (*see* Schmitt et al.) 1990; 4:270-275
 Seeger JM. Basic data related to laser angioplasty. 1990; 4:515-518
 Senofsky G, Hye RJ, Fellmeth B, Freischlag J. Traumatically-induced embolus to the hand from a thrombosed PTFE vascular access graft. 1990; 4:182-184
 Sevestre H (*see* Pietri et al.) 1990; 4:533-539
 Sevestre MA (*see* Pietri et al.) 1990; 4:533-539
 Shah DM (*see* Kaufman et al.) 1990; 4:260-263, 1990; 4:356-358, 1990; 4:592-596
 Shanik DG (*see* Murchan et al.) 1990; 4:302-304
 Shanik GD (*see* Sugrue et al.) 1990; 4:179-181
 Sheppard B (*see* Wilson and Sheppard.) 1990; 4:94-97
 Shi Q (*see* Durante et al.) 1990; 4:171-178
 Shi Q (*see* Wu et al.) 1990; 4:58-64
 Shiihara H (*see* Nakagawa et al.) 1990; 4:189-192
 Shukla R (*see* Patterson et al.) 1990; 4:338-343
 Smith R (*see* Kaufman et al.) 1990; 4:592-596
 Sobel M (*see* Reichman et al.) 1990; 4:233-237
 Soots G (*see* Mikati et al.) 1990; 4:584-591
 Spence RK (*see* Alexander et al.) 1990; 4:333-337
 Spicer KM (*see* Zellner et al.) 1990; 4:238-243
 St. Louis EL (*see* Ameli et al.) 1990; 4:328-332
 Stabile BE (*see* Park et al.) 1990; 4:218-222
 Standness DE (*see* Kohler et al.) 1990; 4:384-387
 Stella A, Gargiulo M, Bacchini P, Curti T, Faggioli G, Pasquinelli G, D'Addato M. Traumatic dissection of an inflammatory aneurysm. 1990; 4:384-387
 Strandness DE (*see* Kohler et al.) 1990; 4:77-80
 Strandness DE (*see* Van Bemmelen et al.) 1990; 4:455-459
 Sugrue ME (*see* Murchan et al.) 1990; 4:302-304
 Sugrue ME, Carolan J, Leen EJ, Feeley TM, Moore DJ, Shanik GD. The use of infrared laser therapy in the treatment of venous ulceration. 1990; 4:179-181
 Suy R (*see* Schröe et al.) 1990; 4:133-137
- T**
- Tamisiér D, Melki JP, Cormier JM. Congenital anomalies of the external iliac artery: Case report and review of the literature. 1990; 4:510-514
 Tauscher Th (*see* Weimann et al.) 1990; 4:297-301
 Taylor LM (*see* Dalman and Taylor.) 1990; 4:309-312
 Tenenbaum N (*see* Cohen et al.) 1990; 4:570-574
 Thörne J (*see* Norgren et al.) 1990; 4:575-579
 Tisnado J (*see* Deitrick et al.) 1990; 4:72-76
 Tissandier P (*see* Bellenot et al.) 1990; 4:15-19
 Tober RL (*see* Sannella et al.) 1990; 4:42-45
 Toner J (*see* Reichman et al.) 1990; 4:233-237
 Torem S, Rossman ME, Schneider PA, Otis SM, Dilley RB, Bernstein EF. The natural history of amaurosis fugax with minor degrees of internal carotid artery stenosis. 1990; 4:46-51
 Torres E (*see* Desbrosses et al.) 1990; 4:550-552
 Tournigand P (*see* Mercier et al.) 1990; 4:166-170
 Towne JB (*see* Schmitt et al.) 1990; 4:270-275
 Travers A (*see* Van der Watt et al.) 1990; 4:479-484
 Treiman RL, Cossman DV, Foran RF, Levin PM, Cohen JL. The risk of carotid endarterectomy for the asymptomatic patient: An argument for prophylactic operation. 1990; 4:29-33
- V**
- Vaccaro PS (*see* Annenberg et al.) 1990; 4:69-71
 Valdés E F, Saieh A C, Krämer A. Surgical treatment of complete renal artery occlusion in pediatric patients. 1990; 4:490-493
 Valere PE (*see* Nussaupe et al.) 1990; 4:117-121
 Van Bemmelen PS, Bedford G, Beach K, Strandness DE. Functional status of the deep venous system after an episode of deep venous thrombosis. 1990; 4:455-459
 Van den Brande P (*see* Greant and Van den Brande.) 1990; 4:288-290
 Van der Watt FJJ, Jordan PJ, Nel CJC, Travers A. Routine exercise testing to detect coronary artery disease in patients with atherosclerotic vascular disease. 1990; 4:479-484

- Van Schil P (*see* Vanmaele et al.) 1990; 4:81-84
 Vanmaele R, Van Schil P, De Maeseneer M. Closure of the internal carotid artery after endarterectomy: The advantages of patch angioplasty without its disadvantages. 1990; 4:81-84
 Veith FJ (*see* Harris et al.) (Commentary) 1990; 4:436
 Veith FJ, Gupta SK, Ascer E, Rivers SP, Wengerter KR. Improved strategies for secondary operations on infrainguinal arteries. 1990; 4:85-93
 Verdeil X, Bossavy JP, Roche R, Barret A, Pouns J. Nosocomial infection surveillance in a vascular surgery unit. 1990; 4:553-557
 Vermassen F, Flamme A, De Roose J, Berzenyi G, Derom F. Long-term results after carotid endarterectomy for carotid artery stenosis with contralateral occlusion. 1990; 4:323-327
 Vernon P (*see* Clément et al.) 1990; 4:519-527
 Vildé JL (*see* Goëau-Brissonnière et al.) 1990; 4:528-532
 Vohra R, Reid D, Groome J, Abdool-Carim ATO, Pollack JG. Long-term survival in patients undergoing resection of abdominal aortic aneurysm. 1990; 4:460-465

W

- Walker MW (*see* Durante et al.) 1990; 4:171-178
 Walker MW (*see* Wu et al.) 1990; 4:58-64
 Ward AS (*see* Joyce and Ward.) 1990; 4:393-396
 Ward AS, Joyce WP. Acute visceral ischemia secondary to aortic graft occlusion. 1990; 4:502-505
 Warembourg H (*see* Mikati et al.) 1990; 4:584-591
 Watel A (*see* Mikati et al.) 1990; 4:584-591
 Weaver FA, Pentecost MJ, Yellin AE. Carbon dioxide digital subtraction arteriography: A pilot study. 1990; 4:437-441
 Wechezak AR (*see* Durante et al.) 1990; 4:171-178
 Wechezak AR (*see* Wu et al.) 1990; 4:58-64
 Weimann S, Tauscher Th, Flora G. Isolated iliac artery aneurysms. 1990; 4:297-301
 Wenger JJ (*see* Desbrosses et al.) 1990; 4:550-552
 Wengerter KR (*see* Veith et al.) 1990; 4:85-93
 White GE (*see* Wilson et al.) 1990; 4:351-355
 White GH (*see* Kopchok et al.) 1990; 4:291-296

- White JV (*see* Greenwald et al.) 1990; 4:244-254
 White RA (*see* Kopchok et al.) 1990; 4:291-296
 Wilson SE, Sheppard B. Results of percutaneous transluminal angioplasty for peripheral vascular occlusive disease. 1990; 4:94-97
 Wilson SE, White GE, Wolf G, Cross AP. Proximal percutaneous balloon angioplasty and distal bypass for multilevel arterial occlusion. 1990; 4:351-355
 Wise L (*see* Cohen et al.) 1990; 4:570-574
 Wolf G (*see* Wilson et al.) 1990; 4:351-355
 Woodson J, Rodriguez AA, Menzoian JO. The use of internal jugular vein as interposition graft for femoral vein reconstruction following traumatic venous injury: A useful approach in selected cases. 1990; 4:494-497
 Workman JR, Schmidt SP, Donovan DL, Clarke R. The effects of heparin upon atherogenesis in the Watanabe heritable hyperlipidemic rabbit. 1990; 4:344-349
 Wu HD (*see* Durante et al.) 1990; 4:171-178
 Wu HD, Arnell RE, Sauvage LR, Goff SG, Shi Q, Kaplan S, Durante KR, Wechezak AR, Walker MW. The evolution of a clinically relevant experimental model for the realistic evaluation of long-length (80-cm) arterial prostheses. 1990; 4:58-64

Y

- Yeager RA. Basic data related to cardiac testing and cardiac risk associated with vascular surgery. 1990; 4:193-197
 Yellin AE (*see* Weaver et al.) 1990; 4:437-441
 Youkey JR (*see* Goldstein et al.) 1990; 4:213-217
 Youkey JR (*see* Saxon et al.) 1990; 4:381-383

Z

- Zarins CK (*see* Workman et al.) (Commentary) 1990; 4:349-350
 Zellner JL, Elliott BM, Robison JG, Hendrix GH, Spicer KM. Preoperative evaluation of cardiac risk using dobutamine-thallium imaging in vascular surgery. 1990; 4:238-243
 Zuelzer WA (*see* Annenberg et al.) 1990; 4:69-71

GUIDELINES FOR AUTHORS

The *ANNALS OF VASCULAR SURGERY*, a quarterly journal, invites for review original manuscripts reporting clinical and experimental work in the field of vascular surgery. Papers may be directed to the following specific sections of the journal:

—Original Articles (Reports of clinical series, new investigations, experimental work, new drug or medical device trials);

—General Reviews (Scholarly and complete review of the existing literature on a subject of broad general interest in vascular surgery);

—Surgical Notes (Small items of interest, e.g., observations on a new type of suture or hemostat);

—Selected Techniques in vascular surgery (Technical maneuvers, i.e., "How I do it");

—Editorials;

—Historical Notes (Interesting vignettes from the earlier days of vascular surgery);

—How it happened: the inside story of vascular surgery (First person accounts of breakthroughs and achievements in vascular surgery).

These manuscripts will be considered with the understanding that they have not been submitted for publication elsewhere. The editors welcome correspondence; signed letters are reviewed according to the same standards as other articles.

Manuscripts and other communications written in French should be addressed as follows:

Send to Edouard KIEFFER, MD, Editor, *Annals of Vascular Surgery*, Service de Chirurgie Vasculaire, Groupe Hospitalier Pitié-Salpêtrière, 83, boulevard de l'Hôpital, 75651 PARIS, cedex 13 FRANCE.

Manuscripts written in English should be sent to the following offices:

• North America, Latin America, Australasia and Japan:

Send to Ramon BERGUER, MD, Ph.D., Editor, *Annals of Vascular Surgery*, Harper Hospital, 3990 John R, Detroit, MI 48201.

• Europe, United Kingdom, Scandinavia

Send to David CHARLESWORTH, DSc, Department of Surgery, University Hospital of South Manchester, West Didsbury, Manchester, United Kingdom M208LR.

Manuscripts written in Spanish should be addressed as follows:

J.M. CAPDEVILA, MD, Editor, *Servicio de Cirugía, Vascular Hospital de Bellvitge, "Principes de España," Barcelona, SPAIN.*

Authors should use the manuscript checklist and manuscript preparation guidelines outlined below when preparing papers for *Annals of Vascular Surgery*.

Manuscript Checklist

—Three complete sets of manuscripts typed on 8½" × 11" (22 × 28 cm) white bond paper, on one side of the paper, double-spaced, with 1¼" (2.5 cm) margins all around (carbon copies not acceptable). Number pages consecutively in the upper right-hand corner, starting with the title page.

—Title page, including name and highest achieved degree(s) of each author, institution from which work originated, sources of financial support, and the complete address of the author who is responsible for correspondence, galley proofs, and reprint requests. If paper was presented at a scientific meeting, provide a footnote giving name of meeting, date, and location.

—Abstract/Synopsis, 150–200 words in length, concisely summarizing the methods,

results, and conclusions reported in your paper.

—Body of paper, organized in the following manner: Introduction, Materials and Methods, Results, Discussion, and Conclusions (Note organization may vary according to category of manuscript). Subheads added within lengthy sections to no more than three levels.

—Acknowledgments of persons who have contributed to the scientific development or production of the manuscript.

—References, typed double-spaced, in the order in which they appear in the text (sequential order) according to the Vancouver Style.

—Tables, typed double-spaced on separate pages, numbered in Arabic, in the order in which they appear in the text and given a brief descriptive title. Information arranged in columns, with abbreviations, acronyms, or unusual units of measurement explained in table footnotes.

—Legends to illustrations, typed double-spaced in a list in numerical order, on a separate page.

—Illustrations, including 4 sets of high contrast black and white glossy prints, 5" × 7" (12.5 cm × 17.75 cm) packaged in a separate envelope, with Figure number and author's name clearly indicated on the back of the prints. Only professionally drawn and photographed illustrations will be considered.

—Cover letter from the senior author, stating section of journal manuscript is written for, and including full mailing address and telephone number of corresponding and senior authors.

—Copyright transfer form with signatures of all authors on paper affixed.

—Permissions to reproduce previously published material authorized by publisher or individuals holding copyright to material in question.

Style and content of manuscripts

The editors request that authors keep their manuscripts succinct and to the point, omitting material that is well-known and which has been published already. Article introductions may contain interesting and relevant historical background, but such material should be inserted judiciously. Discussions should focus on the work at hand, including only those references that directly relate to the subject of the article. We strongly encourage use of active voice verbs to give vigor to sentence structure and to keep the reader's focus on the actions of the investigator.

Abbreviations should be kept to a minimum and must be completely spelled out the first time they are used in the paper. Standard international units (SI units) should be used whenever appropriate.

Notes on preparation of manuscripts

Text

Manuscripts must conform to standard French/English/Spanish usage and are subject to editorial changes according to the policies of the journal. Generic names of drugs should be used whenever possible. State all measurements in metric units.

In general, the text should be organized in the following manner: introduction, materials and methods, results and discussion. Provide brief, internal headings to clarify paper's organization. Cite tables and illustrations in text by number in text.

For guidance in text preparation, authors may consult the following works:

—American Medical Association: Manual

for Authors and Editors. Los Altos, CA: Lange Medical Publications, 1981.

—Council of Biology Editors Style Manual, 5th edition. Council of Biology Editors, 9650 Rockville Pike, Bethesda, MD 20814.

—The Chicago Manual of Style, Thirteenth Edition. Chicago: University of Chicago Press, 1982.

References

Cite references when necessary within the text. Any reference cited in the text must appear on the Reference Page. Number references in brackets in the sequence in which they appear in the manuscript. Personal communications and unpublished data are not references and should not appear in the reference list. (They may be mentioned either in footnotes or parenthetically in the body of the text).

Annals of Vascular Surgery follows the Vancouver Style for references with one modification: instead of reporting names of all authors, please cite just the first three authors followed by et al. A detailed outline of the Vancouver Style may be obtained from the *Annals of Internal Medicine*, 4200 Pine St, Philadelphia, PA 19104. Sample entries appear below:

—Journal article: LA CERTE RA, LA RUE R, MONET E et al. Vertebral artery disease. *Vasc Surg*, 1986; 14: 195–198.

—Book: RENOIR A. *Vascular Surgery*. New York, Whitehouse, 1985, 45–49.

—Chapter in book: LA CERTE RA. Renovascular hypertension. In: RENOIR A, ed. *Vascular Surgery*. New York, Whitehouse, 1985, 129–140.

Illustrations

Illustrations must be of good quality, suitable for reproduction, and for reduction as necessary to page size. Limit illustrations to those that amplify, not duplicate the text. Submit original artwork or unmounted glossy prints. If an illustration has several components, submit each separately, unmounted, and indicate how picture should be composed. Prints should measure approximately 5" × 7" (13 × 18 cm). All lettering or other markings on illustrations must be done by a professional medical illustrator. Typewritten or freehand markings are unacceptable. On the back of each illustration, record its number, the first author's name, and the direction of the top of the illustration in china marker or crayon or on separately typed adhesive labels. Protect illustrations from damage by placing them in a separate envelope with a piece of cardboard to keep them flat. Do not paper clip illustrations to your manuscript. Color illustrations may be submitted, but authors will have to bear the expense of color reproduction.

Legends should be typed on a separate page at the end of the manuscript following the references and tables.

Data Analysis

Appropriate statistical methodology should be used in those studies where it is applicable. Engage the assistance of a biostatistician in the preparation of your data if you are not familiar with statistical methodology yourself.

Permissions

Lengthy direct quotations (three or more paragraphs long), illustrations, or tables that have appeared in previously published material must be accompanied by written permission for their use from the copyright holder (normally the publisher of the material).

Reprints

Reprint order forms will be included with galley proofs. Authors must order their reprints at the same time they correct galley proof.

